CASE # PA14-0028

1. ALL LANDSCAPE AREAS TO RECEIVE 2" LAYER DECOMPOSED GRANITE 2. ALL LANDSCAPE AREA TO BE WATERED BY UNDERGROUND AUTOMATIC IRRIGATION SYSTEM.

3. THE HEIGHTS AND CALIPERS SHALL COMPLY WITH 'ARIZONIA NURSERY ASSOCIATION SPECIFICATIONS' FOR THAT SIZE AND TYPE OF TREE. 4. REQUIRED TREES SHALL BE PROVIDED IN EQUAL NUMBERS OF 15 GALLON

5. REQUIRED SHRUBS SHALL HAVE A MATURE GROWTH HEIGHT OF 18" AT LEAST 50% OF REQUIRE SHRUBS SHALL BE 5 GALLON SIZE.

6.PLANT MATERIAL SHALL BE CALCULATED BASED ON A LINEAR MODULE OF 25 FEET. TREES AND SHRUBS MAY BE CLUSTERED.

(2) TREES AND (6) SHRUBS PER 25' OF STREET FRONTAGE

MAJOR, MIDSECTION COLLECTOR STREET:

(1) TREES AND (4) SHRUBS PER 25' OF STREET FRONTAGE

50% SHALL BE 5 GALLON OR LARGER.

NO SHRUBS LESS THAN 1 GALLON

8. 1 TREES AND 3 SHRUBS FOR EVERY 15' PARKING ISLAND PARKING SHALL BE INSTALLED @ EACH END OF ROW OF STALLS AND IN BETWEEN FOR MAXIMUM OF EIGHT CONTIGUOUS PARKING SPACES

9. FOUNDATION LANDSCAPING:LANDSCAPING TO A MINIMUM HEIGHT OF 18" IS REQUIRED IMMEDIATELY ADJACENT TO, OR PROVIDED IN PLANTER AREAS ADJACENT TO BUILDING, WHICH HAVE FRONTAGE ON A PUBLIC STREET. PLANTING AREAS MUST BE A MIN. OF 5' WIDE AND A MIN. OF 50% PLANT COVERAGE.

10. THE BACKFLOW PREVENTION ASSEMBLY SHALL BE TESTED AND APPROVED BY A CERTIFIED TECHNICIAN DESIGNATED IN THE CURRENT CITY OF MESA LIST THE APPROVED INSPECTORS PRIOR TO THE REQUEST

11. THE REQUIRED BACKFLOW PREVENTION ASSEMBLY SHALL BE MANUFACTURER AND MODEL NUMBER DESIGNATED IN THE CURRENT CITY OF MESA LIST OF APPROVED BACKFLOW

12. ALL WORK WILL BE DONE UNDER SEPARATE PERMIT

13. ALL LANDSCAPING INSTALLED WITH THIS PROJECT TO BE MAINTAINED BY OWNERS ASSOC. OR OWNERS ASSOCIATION OF COMMERCIAL SUBDIVISION OR MANAGEMENT COMPANY IF COMMERCIAL RENTALS

14. THAT ALL TREES AND SHRUBS LOCATED IN LINE-OF-SIGHT WILL BE MAINTAINED TO A CLEAR AREA BETWEEN OF 3' TO 7'

15. RIP-RAP MUST BE ON NATURAL MATERIALS MATCHING D.G COLORS CONCRETE OR GUNITE MUST BE COLORED TO MATCH D.G. COLOR

16. TREES SHALL BE PLANTED @ LEAST 20' AWAY FROM ANY STREET LIGHT POLE OR LOCATION. SHRUBS SHALL BE PLANTED @ LEAST 7' FEET AWAY FROM ANY STREET LIGHT POLE OR LCC.

17. 10% OF TOTAL TREES IN PARKING SHALL BE 36" BOX OR LARGER.

PRELIMINARY

SCALE: 1" = 30'-0"

LANDSCAPE PLAN



ULMUS PARVIFOLIA CHINESE ELM 24" BOX (MATCHING)

OLEA EUROPEA 'SWAN HILL' SWAN HILL 36" BOX

DALBERGIA SISSOO SISSOO TREE 24" BOX



HESPERALOE PARVIFLORA RED YUCCA 5 GALLON

MUHLENBERGIA 'REGAL MIST' REGAL MIST DEER GRASS 5 GALLON

DASYLIRION WHEELERII DESERT SPOON 5 GALLON

RUELLIA PENINSULARIS BAJA RUELLIA 5 GALLON

LANTANA MONTEVIDENSIS 'GOLD MOUND' 1 GALLON

LANTANA MONTEVIDENSIS PURPLE TRAILING LANTANA 1 GALLON

> MATCH EXISTING STREET FRONTAGE DECOMPOSED GRANITE 2" DEPTH IN ALL LANDSCAPE AREAS



6" TO 8" JESSEE RED GRANITE COBBLE RIP RAP

12" DEPTH IN AREA NOTED



T.J. McQUEEN & ASSOCIATES, INC. LANDSCAPE ARCHITECTURE URBAN DESIGN SITE PLANNING

8433 East Cholla St., Suite 101 Scottsdale, Arizona 85260 P. (602) 265-0320 F. (602) 266-6619

EMAIL: timmcqueen@tjmla.net T.J. McQUEEN & ASSOC., INC. LANDSCAPE ARCHITECTURE (T.JMLA) EXPRESSLY RESERVES ITS COMMON LAW COPYRIGHT & OTHER PROPERTY RIGHTS IN THESE PLANS. THESE PLANS ARE NOT TO BE REPRODUCED, CHANGED OR COPIED IN COPIED IN ANY FORM OR MANNER WHATSOEVER, NOR ARE THEY TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT FIRST OBTAINING THE EXPRESSED WRITTEN PERMISSION & CONSENT FROM T.JMLA.

group 425 N FIRST STREET, SUITE 100 PHOENIX, AZ 85004 Ph. 602-457-5757 Fax: 602-457-5755 Roy Pedro, Architect

Ken McCracken, Architec

H

PROJECT NO. CST14039.0 PRELIMINARY. NOT FOR REGULATORY APPROVAL, PERMIT

ISSUED FOR REGULATORY APPROVAL AND

ISSUED FOR

riangle REVISIONS

SHEET NO.