




KS SPORT

s.c.i.p. september 2015 debartoloarchitects





KEY PLAN 1" = 50'-0"

PLANT LEGEND

TREES	BOTANICAL NAME Common Name (MATURE SIZE)	SIZE	QTY.	CAL.	REMARKS
+	Acacia arena Majica (27' T, 10' W)	30" box	8	1.5-2.0	Standard
○	Cercidium hybrid 'Desert Museum' 'Desert Museum' hybrid 'Desert Museum' (25' T, 25' W)	24" box	1	1.0-1.5	Low branch
○	Cercidium hybrid 'Desert Museum' 'Desert Museum' hybrid 'Desert Museum' (25' T, 25' W)	30" box	3	1.75-2.25	Low branch
○	Cercidium hybrid 'Desert Museum' 'Desert Museum' hybrid 'Desert Museum' (25' T, 25' W)	24" box	4		Graded with Flying Dragon (20' T, 20' W)
SHRUBS	Leucosiphon zygophyllum 'Common'™ (Common™ Blue Ranger Sage)	5 Gal	19		
○	Muhlenbergia capillaris 'Peach Mist'™ (Peach Mist™ Mury)	5 Gal	112		
ACCENTS / SUCCULENTS	Agave parryi (Parry's Agave)	5 Gal	4		
○	Dasylirion lasiocarpum (Green Sedge)	5 Gal	131		
INERT MATERIALS	Decomposed Granite Rip-Rap, 1" - 3" sized Substrate, Brown in all planting and non-planting areas. Provide approximately 13,133 sq. ft. at 2" depth.				

NOTE: All trees shall comply with the latest amended edition of the "Arizona Nursery Association Recommended Tree Specifications."



PLANTING PLAN - WEST

1/16" = 1'-0"

ksport

254 west broadway
mesa, arizona 85201

09 september 2015
© copyright 2015
00000

debartoloarchitects

4450 north 12th street
number 268
phoenix, arizona 85014
tel 602.264.6617
jack3@debartoloarchitects.com


inDIGenous mINds

landscape architect
3104 e camelback rd
number 402
phoenix, arizona 85016
tel 602.882.1193
mary@indigenouseminds.com



landscape concept plan

L1.0

NOT FOR CONSTRUCTION



PLANT LEGEND					
TREES	BOTANICAL NAME Common Name (MATURE SIZE)	SIZE	QTY.	CAL.	REMARKS
	Acacia arena Munja (20' T / 15' W)	30" box	8	157.3	Standard
	Cercidium hybrid "Desert Museum" Desert Museum hybrid Bursera Palo Verde (25' T / 25' W)	24" box 30" box	1 3	10.15 175.25	Low break Low break
	Citrus x aurantium Sweet Arizona Sweet Orange (8' T / 8' W)	24" box	4		Grafted with Flying Dragon root stock
SHRUBS					
	Leucosyrium zygophyllum "Cinnamon" (Common "Blue Ranger" Shrub)	5 Gal	19		
	Laubmoenchia capillaris "Regal Mar" (Regal Mar "Munja")	5 Gal	112		
ACCENTS - SUCCULENTS					
	Agave parryi (Parry's Agave)	5 Gal	4		
	Caryopteris laevis (Green Sedge)	5 Gal	131		
INERT MATERIALS					
	Decomposed Granite Rip-Rap 1" - 3" sized Salsalacka Brown in all planting and non-paved areas. Provide approximately 13,135 sq ft at 2" depth.				
NOTE: All trees shall comply with the latest amended edition of the "Arizona Nursery Association Recommended Tree Specifications."					



ksport


254 west broadway
mesa, arizona 85281
09 september 2015
© copyright 2015
00000

debartoloarchitects
4450 north 12th street
number 268
phoenix, arizona 85014
tel 602 264 6617
jack@debartoloarchitects.com


inDIgenous mINds
landscape architect
3104 e camelback rd
number 402
phoenix, arizona 85016
tel 602 882 1193
mary@indigenoussminds.com

landscape concept plan
L1.1

NOT FOR CONSTRUCTION



1 SITE PLAN + BUILDING PLAN
1" = 10'



2 ENLARGED SITE PLAN
1" = 10'

SHEET NOTES

- TYPICAL NOTATION IS USED THROUGHOUT RELATED DRAWING SERIES. REFLECTIVE SURFACE ELEMENTS NOTED ON C/D DRAWING MAY VARY AND BE SPECIFICALLY NOTED ON ANY OTHER DRAWING IN THE SERIES.
- ALL EXISTING-TO-REMAIN SITE ELEMENTS ARE SHOWN IN GRAY HALF-TONED LINEWEIGHTS. NEW WORK IS SHOWN IN FULL-TONED LINEWEIGHTS.
- ALL EXISTING PROPERTY INFORMATION IS SHOWN IN TYPICAL LINEWEIGHT FOR CONTEXT AND GENERAL INFORMATION INCLUDING PROPERTY LINES, STREET RIGHT-OF-WAY, PROPERTY DIMENSIONS, ETC.
- THE CONNECTION OF NEW HARDSCAPE (WHICH IS ACCESSIBLE) TO PREVIOUSLY PERMITTED AND EXISTING TO REMAIN HARDSCAPE WILL BE DONE IN SUCH A MANNER SO AS TO PROVIDE A REASONABLE ACCESSIBLE ROUTE BETWEEN EXISTING AND NEW WORK.
- REFER ALSO TO MECHANICAL, PLUMBING AND ELECTRICAL DRAWINGS FOR ADDITIONAL RELATED INFORMATION.
- EXISTING CONDITIONS SHOWN ARE FROM AVAILABLE RECORD DRAWINGS, CIVIL SURVEYS AND VISUAL FIELD SURVEYS. THE CONTRACTOR SHALL VERIFY ACTUAL EXISTING CONDITIONS AT THE SITE PRIOR TO SUBMITTING A BID. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES.
- INCLUDED IN THE CONTRACTOR'S RESPONSIBILITY IS FAMILIARIZATION WITH THE EXISTING SITE PRIOR TO THE BID IS THE UNDERSIGNED THAT DRAWINGS SHOW BASIC INTENT AND MAY NOT GRAPHICALLY SHOW THE SPECIFICS OF ALL ELEMENTS COMPONENTS/SYSTEMS INTENDED TO BE DEMOLISHED.
- COORDINATE ALL UNDERGROUND UTILITIES BEFORE PLACEMENT OF HARDSCAPE. PROVIDE SLEEVES BETWEEN PLANTER AREAS FOR INSTALLATION OF ALL IRRIGATION AND POWER.
- FOR ALL CONCRETE LOCATIONS, ARCHITECT TO VERIFY COORDINATE WITH CONTRACTOR WHICH JOINTS WILL BE POLE JOINTS AND WHICH WILL HAVE (EXPANSION PAD) (EXPANSION JOINT) SEPARATION FROM TO COORDINATE WITH CONTRACTOR. WHERE EXPANSION JOINTS ARE USED, SEAL JOINTS ABOVE FINISH (SEALANT FILLED TO WITHIN 1/4" BELOW LEVEL OF HARDSCAPE) AND DUST WITH SILICA SAND.

KEYED NOTES

- EXISTING STRUCTURE TO REMAIN
- EXISTING ENTRY SIGN TO REMAIN
- EXISTING ELECTRICAL CABLES TO REMAIN
- EXISTING ELECTRICAL TRANSFORMER
- EXISTING DOCK STRUCTURE TO REMAIN
- EXISTING PARKING TO REMAIN (19) / EXISTING PARKING LIGHT TO REMAIN
- EXISTING PARKING SHADE CANOPY TO REMAIN
- EXISTING 8'-0" HIGH MASONRY SITE WALL TO BE RAISED TO 8'-0" HIGH
- EXISTING SIGNAGE TO REMAIN
- NEW PARKING (2) SPACES
- NEW PARKING SPACES (1) SPACES
- NEW ACCESSIBLE PARKING (2) SPACES
- NEW ACCESSIBLE ROUTE
- NEW TACTILE WARNING PANEL
- NEW ACCESSIBLE RAMP ACCESS TO ENTRY
- NEW LANDSCAPING. SEE LANDSCAPE SHEETS
- NEW DRIVEWAY ENTRANCE / EXIT WITH SIDEWALK ATTACHED TO CURB TWO WAY TRAFFIC 2'-0" WIDE / PER M.A.D. STD DTL 250-2
- NEW DRIVEWAY, EXIT ONLY WITH SIDEWALK ATTACHED TO CURB ONE WAY TRAFFIC 10'-0" WIDE / PER M.A.D. STD DTL 250-2
- NEW 5'-0" WIDE PEDESTRIAN WALKWAY TO PUBLIC ROW
- NEW ACCESS TO MOTORIZED GATE TO SECURE PARKING LOT CALL BOX
- NEW FIRE ACCESS TO MOTORIZED GATE TO SECURE PARKING LOT CALL BOX
- NEW 12'-0" HIGH STEEL PLATE PANELS
- NEW LIGHT POLE TO MEET CITY OF MESA STANDARDS (25'-0" HIGH)
- NEW DRAINAGE HOLES IN CURB / WALL AS REQUIRED
- NEW STAND-UP CONCRETE CURB TYPICAL
- NOT USED
- NOT USED
- NEW WHEEL STOP
- NEW HANDRAIL AT ACCESSIBLE RAMP
- NEW 12'-0" HIGH PERFORATED SCREEN SITE WALL
- NEW ENTRY DOORS
- NEW ENTRY SECURITY GATE
- NEW ENTRY SIGN
- NEW 8'-0" HIGH MASONRY SITE WALL - REFER TO EXISTING SITE WALL DEMOLITION WITH 1' HIGH SLANT BUILDING - PER STD. 400-0112
- NEW MOTORIZED ENTRY GATE - PER STD. 400-0112 AND 400-0113
- NEW LANDSCAPING AT ENTRY DOORS. SEE LANDSCAPE SHEETS
- NEW LOADING + UNLOADING SPACE / DELIVERY VAN FULL OUT
- NEW VEHICULAR ASPHALT PAVEMENT TYPICAL
- NEW CONCRETE SIDEWALK + CURB PER M.A.D. S. DITCHES
- EXISTING TRASH DUMPSTERS
- SCREENED FROM PUBLIC ROW VIEW BEHIND - 8'-0" HIGH SITE WALL
- EXISTING ROW LANDSCAPE TO BE UPGRADED. SEE LANDSCAPE SHEETS
- BROADWAY ROAD
- NEW LANDSCAPE SCOPES - VEG / EXIST PUBLIC ROW
- DEMOLISH EXISTING BUSH STANDARD CONSTRUCTION
- NEW REPLACEMENT WAREHOUSE ADDITION
- CURRENT ZONING CODE - 15'-0" FRONT - BUILDING SETBACK LINE
- PROPERTY LINE TYPICAL



ksport

254 west broadway
mesa, arizona 85201

SEPTEMBER 09 2015
© copyright 2015
14147

debartoloarchitects

4450 north 12th street
number 268
phoenix, arizona 85014
tel 602.264.6617
jack3@debartoloarchitects.com




SITE PLAN

A1.0



KEYED NOTES

1. EXISTING WALL TO REMAIN. CLAY BRICK FINISH TO BE CHEMICALLY CLEANED - SEALED. OTHER EXISTING MATERIALS TO BE PAINTED WHITE.
2. EXISTING STRUCTURAL STEEL TO BE CHEMICALLY STRIPPED - CLEANED - PAINTED.
3. EXISTING PLASTER TO BE REMOVED LEAVING 1" PAINTED.
4. EXISTING WINDOW OPENING TO BE REMOVED. WINDOW ASSEMBLY - REPLACE WITH NEW STEEL BRACKET FRAME - INSULATED GLASS UNIT (TRIPLE GLAZED) IN AT INTERIOR WHERE OCCURS.
5. EXISTING WINDOW OPENING - REMOVE EXISTING WINDOW ASSEMBLY - REPLACE WITH NEW STEEL BRACKET FRAME - INSULATED GLASS UNIT (TRIPLE GLAZED) IN AT INTERIOR WHERE OCCURS.
6. EXISTING WOOD STRUCTURE - TO BE CLEANED - SEALED.
7. NEW PAINTED LEVEL 5 GAMB WALL FRAMING. REFER TO FLOOR PLAN A-2.
8. NEW PAINTED LEVEL 5 GAMB CEILING FRAMING. REFER TO ROOF A-3.
9. NEW WINDOW - WINDOW SYSTEM - PAINTED POLYMER LAM DOOR GLAZ. LITE 1" INSULATED GLASS UNIT WITH SECURITY (1" INSULATED GLASS GLAZ. UNIT) SCHEDULE WHEN OCCURS. SEE PLANS ELEVATIONS - FLOOR SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
10. NEW INTERIOR GLASS DOOR - FRAMELESS BUILDING GLASS DOOR SYSTEM. SEE PLANS ELEVATIONS - DOOR FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
11. NEW ROOF 1" GLASS DOOR SYSTEM - 1" PLAT BRACKET FRAME AS REQUIRED | ALUMINUM FRAME.
12. NEW DOOR WITH 1" INSULATED GLASS DOOR UNIT. MANUAL OPERATION. SEE PLANS ELEVATIONS - DOOR FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
13. NEW 1/4" STEEL PLATE BRACKET WINDOW FRAME WITH 1" INSULATED GLASS UNIT.
14. PEPPER SHED - LOCATED AT EACH WINDOW TYPE. MECHANOSHAVE ASSEMBLY; COLOR DARK GRAY. REFER TO UNIT SPECIFICATION.
15. DIRT FRESH - 5' GROUND. LEVEL 5 FRESH REFER TO SPECIFICATIONS.
16. NEW CARPET TILE - REFER TO FLOOR SCHEDULE.
17. EXISTING CONCRETE FLOOR - MEDIAN GRAY CLEAN - SEAL - REFER TO FINISH SCHEDULE.
18. NEW CONCRETE SLAB - 6" THICK.
19. 1" X 6" APPLIED HOT ROLLED PLAT BAR BASE. COUNTERSUNK FLESH ATTACHMENT TO MATCH AT 24" ON FLOOR SIDE MATTE SEE DETAILS.
20. NEW PAPER FRAME POLY CARBON PLATEKIT (1" APPLIED) IN EXISTING METAL CEILING PANELS AT ROOF PAINTED.
21. NEW NEW INSULATION BATHS (1" CEILING) ALL WALLS. ACQUIRED IN NEW FRAME WALLS AS INDICATED.
22. REFER TO DETAIL OF DETAIL FOR DETAIL.
23. NEW GLASS PANELS (WARNING: BARRIERS, BACK PAINTED) COLOR: TINT.
24. BLOCKING AS REQUIRED TO MATCH.
25. LINE OF SCOFFIT EQUIPMENT ABOVE. REFER TO ROOF.
26. NEW EXTERIOR RAIL, NEW METAL PANEL, RAIL SCHEDULE | VAPOR BARRIER SHEET 1/2" PLYWOOD SHEET 1/2" STEEL STUD 1/2" THERMAL INSULATION (1/16") PAINTED LEVEL 5 GAMB INTERIOR FRAME. REFER TO FLOOR PLAN A-2.
27. NEW NEW DOOR ROOF ASSEMBLY IN UNBUILT.
28. NEW CONCRETE ROOF - MASONRY IN EXISTING WALLS - DOWN TO BASEMENT.
29. NEW CONCRETE ROOF - MASONRY IN EXISTING WALLS - UP TO BASEMENT.
30. NEW MASONRY WALL AT BASEMENT - MAIN LEVEL - BRICK VENEER AT EXPOSED EXTERIOR FACE.
31. NEW VALVE/BOILER ASSEMBLY - 20" X 140" - SEE STRUCTURAL SCHEDULE.
32. NEW 62" HIGH WALL.
33. NEW SCOURT FLESH - GATE.
34. NEW MASS. STEEL WALL - 8'-4" HIGH - REFER TO SITE PLAN. SEE EXIST EXTERIOR DOOR #12-46705.



1 FLOOR PLAN BASEMENT
1/16" = 1'-0"

KEYED NOTES

- EXISTING WALL TO REMAIN - CLAY BRICK FINISH TO BE CHEMICALLY CLEANED - SEALED - OTHER EXISTING MATERIALS TO BE PAINTED TYPICAL.
- EXISTING STRUCTURAL STEEL - TO BE CHEMICALLY STRIPPED - CLEANED - PAINTED.
- EXISTING PLASTER - TO BE REMOVED (LEVEL 5) - PAINTED.
- EXISTING WINDOW OPENINGS - REMOVE EXISTING WINDOW ASSEMBLY - REPLACE WITH NEW STEEL BUCKET FRAME - INSULATED GLASS UNIT (TRANSLUCENT FILM AT INTERIOR WHERE OCCURS)
- EXISTING DOOR OPENINGS - REMOVE EXISTING DOOR ASSEMBLY - REPLACE WITH NEW STEEL BUCKET FRAME - INSULATED GLASS UNIT (TRANSLUCENT FILM AT INTERIOR WHERE OCCURS)
- EXISTING WOOD STRUCTURE - TO BE CLEANED - SEALED.
- NEW PAINTED LEVEL 5 GMB WALL FRAMING - REFER TO FLOOR PLAN A-2.
- NEW PAINTED LEVEL 5 GMB CEILING FRAMING - REFER TO FLOOR PLAN A-3.
- NEW DOOR - WINDOW SYSTEM - PAINTED HOTCLIMB METAL DOOR (FULL LITE 1" INSULATED GLASS UNIT) WITH 1" INSULATED GLASS UNIT (TRANSLUCENT FILM AT INTERIOR WHERE OCCURS) - SEE PLANS ELEVATIONS - DOOR / FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
- NEW INTERIOR GLAZING - FRAMELESS SLIDING GLASS DOOR SYSTEM - SEE PLANS ELEVATIONS - DOOR / FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
- NEW ROLL UP GARAGE DOOR SYSTEM - 1" PLATE BUCKET FRAME AS REQUIRED / ALUMINUM FRAME DOOR WITH 1" INSULATED GLASS UNIT - MANUAL OPERATION - SEE PLANS ELEVATIONS - DOOR / FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS - REFER TO STRUCTURAL SHEETS.
- NEW 1" STEEL PLATE BUCKET WINDOW FRAME WITH FIXED 1" INSULATED GLASS UNIT - REFER TO SPECIFICATION.
- DOOR FINISH - 5/8" GMB LEVEL 5 FINISH - REFER TO SPECIFICATION.
- NEW CARPET TILE - REFER TO SPECIFICATION.
- EXISTING CONCRETE FLOOR - MEDIUM GRIND / CLEAN - SEAL - REFER TO FINISH SCHEDULE.
- NEW CONCRETE SLAB - 8" VEHICLE.
- 18" X 4" APPLIED HOT ROLLED FLAT BAR BASE - COUNTERSINK FLUSH ATTACHMENT TO MATCH AT 24" OC - PROVIDE WATTE SEALER.
- NEW PAPER FACED INSULATION BLANKET (R19) APPLIED BELOW EXISTING METAL CEILING PANELS AT ROOF FINISH.
- NEW INSULATION BATT (R19 CEILING - R11 WALLS) IN NEW FRAME WALLS AS INDICATED. REFER TO MECHANICAL SPECIFICATION.
- GLASS PANEL HANGING BOARDS - BLACK PAINTED COLOR TBD.
- BLOCKING AS REQUIRED TYPICAL.
- LINE OF SIGHT - EQUIPMENT ABOVE - REFER TO RCR.
- NEW EXTERIOR BRICK WALL - METAL PANEL RAIN SCREEN / VAPOR BARRIER SHEET - 1" PLYWOOD SHEATHING / 1" STEEL STUD FRAMING - THERMAL INSULATION (R19) - PAINTED LEVEL 5 GMB INTERIOR FINISH - REFER TO FLOOR PLAN A-2.
- NEW FOAM ROOF ASSEMBLY R19 MINIMUM.
- NEW CONCRETE STAIR - MASONRY RETAINING WALLS - DOWN TO BASEMENT.
- NEW CONCRETE STAIR - MASONRY RETAINING WALLS - UP TO MAIN LEVEL.
- NEW MASONRY BRICK - AT BASEMENT - MAIN LEVEL - BRICK VENEER AT EXPOSED EXTERIOR FACE.
- NEW WAREHOUSE ADDITION - 32' X 140' 8" - SEE STRUCTURAL SHEETS.
- NEW 42" HIGH RAILING.
- NEW SECURE FENCE - GATE.
- NEW GAS. SITE WALL - 8'-0" HIGH - REFER TO SITE PLAN - SANITARY ENCLOSURE DOC #02-107005.

- CABINETS - CASE GOODS - SEE A-4 SERIES
- C1 DESK CABINET - CHECK-IN / ADMINISTRATION / SECURITY
 - C2 CABINET - STORAGE / CLOSET
 - C3 PRODUCT DISPLAY CABINET
 - C4 CABINETS - DRAWERS - DOORS AS INDICATED - FLAT PANEL OVERLAY HINGED DOORS - APPLY EXPOSED EDGE 3/4" CORE WOOD VENEER FINISH TYPICAL.
 - C5 TIGHT LATCH OPERATION - HEAVY DUTY EURO STYLE OVERLAY CABINET HINGES / GUIDES BY HAFELE.
 - C6 4" BACK MATERIAL - FINISH SAME AS C4.
 - C7 SHELL FIXED
 - C8 SHELL ADJUSTABLE
 - C9 LOCKS FOR CABINETS - VENEER DURING SHOP DRAWINGS
 - C10 1 1/2" APPLE PLY BOX SURROUND - VENEERED BACK PANEL
 - C11 SOLID SURFACE BACK SPLASH - CASCARA STONE / WHITE GRANITE / PUMICE WHITE
 - C12 (7) HOOKS PER CABINET (1) HANGING BAR PER CABINET
 - C13 LOCKERS X

- STRUCTURAL - REFER TO STRUCTURAL SHEETS.
- S1 NEW STRUCTURAL STEEL LINEUP ASSEMBLY AT EXISTING BRICK MASONRY WALL (7'-0" SPAN).
 - S2 NEW STRUCTURAL STEEL LINEUP ASSEMBLY AT EXISTING BRICK MASONRY WALL (12'-0" SPAN).
 - S3 NEW STRUCTURAL FOOTING PLATE AT EXISTING CONCRETE COLUMN - STEEL PIPE COLUMN - STEEL BEAM AT EXISTING FRAME WALL - WOOD TRUSSES.
 - S4 NEW EQUIPMENT SHEDDING - REFER TO STRUCTURAL.
 - S5 NEW STRUCTURAL STEEL PORTAL AT ROLL-UP GARAGE DOOR ASSEMBLY - STEEL COLUMN ON TUBE / FOUNDATION PLATE / STEEL LINEUP (12'-0" SPAN) AT EXISTING MASONRY WALL.
 - S6 NEW STRUCTURAL STEEL PORTAL AT ROLL-UP GARAGE DOOR ASSEMBLY - STEEL COLUMN FOUNDATION PLATE - LINEUP AT NEW METAL FRAME WALL.
 - S7 NEW STRUCTURAL STEEL AT DOOR / WINDOW ASSEMBLY AT NEW METAL FRAME WALL.
 - S8 NEW STRUCTURAL CONCRETE LINEUP - BOND BEAM TO MATCH EXISTING.
 - S9 NEW CAR LIFT - REQUIRES STRUCTURAL REINFORCEMENT.

- MECHANICAL - REFER TO MECHANICAL SHEETS.
- M1 NEW ALUMINUM GRATING - REFER TO SPECIFICATION.
 - M2 NEW MECHANICAL SUPPLY ASSEMBLY BEHIND M1.
 - M3 NEW MECHANICAL DUCTWORK.
 - M4 NEW MECHANICAL ROOF TOP UNIT.
 - M5 NEW MECHANICAL SCREEN - TUBE STEEL FRAME - PERFORATED SHEET.
 - M6 NEW MECHANICAL GROUND MOUNTED EQUIPMENT.

- PLUMBING - REFER TO PLUMBING SHEETS.
- P1 1" LAVATORY / 1 1/2" LAVATORY FAUCET - 30" X 48" ADA FRONT APPROACH.
 - P2 FLOOR DRAIN - REFER TO PLUMBING SHEETS.
 - P3 EXISTING WATER SERVICE.
 - P4 EXISTING FINE RISER.
 - P5 NEW FINE RISER.
 - P6 1" - 3/4" / 1 1/2" FAUCET - 30" X 48" ADA PARALLEL APPROACH.

- ELECTRIC - REFER TO ELECTRIC SHEETS.
- E1 ELECTRIC PANELS.
 - E2 RECEPTACLE - REFER TO SPECIFICATION.
 - E3 DISCONNECT - REFER TO ELECTRICAL POWER PLAN.

- EQUIPMENT - REFER TO SYSTEMS PLAN / FLOOR PLAN / ELECTRIC POWER PLAN.
- E1 F1 - FREEZER / ICE MAKER - (QUARTER) DOOR PANEL MATCH ADJACENT.
 - E2 F1 - REFRIGERATOR - (QUARTER) DOOR PANEL MATCH ADJACENT.
 - E3 M1 - MICROWAVE - (SAME) SUSANICH.
 - E4 DWI - DISHWASHER - DOOR PANEL MATCH ADJACENT (BOSCH SOVIZOUC).
 - E5 HWY HWP - HOT WATER DISPENSER - FAUCET 1/2" FILTER (BATAK ROOM SHIP).
 - E6 HWY HWP - HOT WATER HEATER (ELECTRIC) - REFER TO PLUMBING PLAN.

- FABRICATION EQUIPMENT - REFER TO FLOOR PLAN / ELECTRIC POWER PLAN.
- E1 CHC POSITION - TABLE TYPICAL / SHEDDING BELOW REFER TO STRUCTURAL.


- SYSTEMS AV / DATA / COMMUNICATIONS / SECURITY - REFER TO POWER PLAN.
- SV1 AV / DATA POWER - FLAT PANEL DISPLAY - WALL MOUNT.
 - SV2 AV / DATA POWER - PROJECTOR ABOVE.
 - SV3 AV / DATA POWER - LAPTOP INTERFACE.
 - SV4 DATA POWER - EMPLOYEE - TABLES - CHARGING / MOUNTING BRACKET.
 - SV5 CARD READER - ENTRY DOORS SYSTEM.
 - SV6 CARD READER / POINT OF ENTRY PAD - ENTRY GATE SYSTEM.

- LIGHTING - REFER TO RCP A-3.
- L1 DOWNLIGHT LINEAR FLORESCENT SUSPENDED.
 - L2 DOWNLIGHT LINEAR SURFACE MOUNT AT CEILING.
 - L3 LIGHT - WALL WASHER FLORESCENT STRIP AT COVE AT CEILING.
 - L4 LIGHT - DOWNLIGHT RECESSED CAN AT CEILING.
 - L5 LIGHT - UPLIGHT FLORESCENT SURFACE MOUNT AT COVE AT BASE CABINET.
 - L6 LIGHT - HIGH BAY PENDANT DOWN LIGHT.

- ES - REFER TO ELECTRIC POWER PLAN - RCP A-3.
- ES1 EXISTING PERIMETER WALL BRACE - REFER TO SPECIFICATION.
 - ES2 EXISTING WALL MOUNT - REFER TO SPECIFICATION.
 - ES3 EXISTING CEILING MOUNT - REFER TO SPECIFICATION.

- F - REFER TO SP PLAN / RCP A-3.
- F1 FIRE RISER - REFER TO FIRE SHEETS - TO BE PAINTED.
 - F2 FIRE SPRINKLER - EXISTING AND NEW PIPING TO BE PAINTED.
 - F3 FIRE EXTINGUISHER - FULLY RECESSED FIRE EXTINGUISHER CABINET.

- ADA1 DOOR MAKE/UNWIND CLEARANCE TYPICAL - WIDTH DOOR WIDTH - 18" MIN PULL SIDE / 12" PUSH WITH CLOSER / 0" PUSH WITHOUT CLOSER / DEPTH 48" MIN.
- ADA2 TURNING / MAKE/UNWIND CLEARANCE TYPICAL - RADIUS 5'-0" MIN.
- ADA3 TOILET MAKE/UNWIND CLEARANCE TYPICAL - WIDTH 5'-0" MIN - DEPTH 4'-8" MIN.
- ADA4 HAND OPER MAKE/UNWIND CLEARANCE TYPICAL - WIDTH 2'-8" MIN - DEPTH 4'-0" MIN.
- ADA5 KITCHEN SINK PARALLEL APPROACH CLEARANCE TYPICAL - WIDTH 2'-8" MIN - DEPTH 4'-0" MIN.
- ADA6 WASHY MAKE/UNWIND CLEARANCE TYPICAL - WIDTH 2'-8" MIN - DEPTH 4'-0" MIN.



ksport

254 west broadway
mesa, arizona 85201

SEPTEMBER 09 2015
© copyright 2015
14147

debartoloarchitects

4450 north 12th street
number 268
phoenix, arizona 85014
tel 602.264.6617
jack3@debartoloarchitects.com

FLOOR PLAN BASEMENT

A2.1






KEYED NOTES


- EXISTING WALL TO REMAIN. CLAY BRICK FINISH TO BE CHEMICALLY CLEANED + SEALED. OTHER EXISTING MATERIALS TO BE PAINTED TYPICAL.
 - EXISTING STRUCTURAL STEEL TO BE CHEMICALLY STRIPPED (CLEAN) + PAINTED.
 - EXISTING PLASTER TO BE REPESED LEVEL 5 + PAINTED.
 - EXISTING WINDOW OPENINGS. REMOVE EXISTING WINDOW ASSEMBLY + REPLACE WITH ALUMINUM STEEL BRACKET FRAME + INSULATED GLASS UNIT, TRANSLUCENT FIBER AT INTERIOR WHERE OCCURS.
 - EXISTING DOOR OPENINGS. REMOVE EXISTING DOOR ASSEMBLY + REPLACE WITH NEW STEEL BRACKET FRAME + INSULATED GLASS UNIT, TRANSLUCENT FIBER AT INTERIOR WHERE OCCURS.
 - EXISTING WOOD STRUCTURE TO BE CLEANED + SEALED.
 - NEW PAINTED LEVEL 5 GYM WALL FRAMING. REFER TO FLOOR PLAN A-2.
 - NEW PAINTED LEVEL 5 GYM CEILING FRAMING. REFER TO RCP A-3.
 - NEW WINDOW + WINDOW SYSTEM. PAINTED HOLD DOWN METAL DOOR (FULL 1 FT. 1" INSULATED) GLASS UNIT WHERE OCCURS (1" INSULATED GLASS UNIT DOUBLE WHERE OCCURS). SEE PLANS ELEVATIONS + DOOR + FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
 - NEW INTERIOR GLAZING + FRAMELESS SLIDING GLASS DOOR SYSTEM. SEE PLANS ELEVATIONS + DOOR + FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
 - NEW ROLL UP GARAGE DOOR SYSTEM. 14 PLATE BRACKET FRAME AS REQUIRED. ALUMINUM BRASS DOOR WITH 1" INSULATED GLASS UNITS. MANUAL OPERATION. SEE PLANS ELEVATIONS + DOOR + FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS. REFER TO STRUCTURAL SHEETS.
 - NEW 1/8" STEEL PLATE BRACKET WINDOW FRAME WITH 1/8" INSULATED GLASS UNIT.
 - POLLER SHADE. LOCATED AT EACH WINDOW TYPE. MECHANICAL ASSEMBLY COLOR DARK GRAY. REFER TO SPECIFICATION.
 - DOOR FINISH - SEE GYM LEVEL 5 FINISH. REFER TO SPECIFICATION.
 - NEW CARPET TILE. REFER TO FINISH SCHEDULE.
 - EXISTING CONCRETE FLOOR. MEDIUM GRIND. CLEAN + SEAL. REFER TO FINISH SCHEDULE.
 - NEW CONCRETE SLAB. 8" VEHICULAR.
 - 15' X 4" APPLIED HOT ROLLED FLAT BAR BASE. COUNTERPLATE FLUSH ATTACHMENT TO MANTLE AT 2" OC. PROVIDE MATTE SEALER.
 - NEW PAPER FACED INSULATION BLANKET (R19) APPLIED BELOW EXISTING METAL CEILING PANELS AT ROOF FINISH.
 - NEW INSULATION BATT (R10 CEILING - R11 WALLS - ACOUSTIC) BY NEW FRAME WALLS AS INDICATED. REFER TO MECHANICAL SPECIFICATION.
 - GLASS PANEL ALUMINUM BOLTS. BLACK PAINTED (COLOR TBD).
 - BLOCKING AS REQUIRED TYPICAL.
 - LINE OF SOFFIT / EQUIPMENT ABOVE. REFER TO RCP.
 - NEW EXTERIOR ROLL UP METAL PANEL RAMP SCREEN. VAPOR BARRIER SHEET 1/2" PLYWOOD SHEATHING. 8" STEEL STUD FRAMING. THERMAL INSULATION (R19) + PAINTED LEVEL 5 GYM INTERIOR FINISH. REFER TO FLOOR PLAN A-2.
 - NEW DAMP ROOF ASSEMBLY R18 MINIMUM.
 - NEW CONCRETE STAIR / MASONRY REPAIRS WALLS - DOWN TO BASEMENT.
 - NEW CONCRETE STAIR / MASONRY REPAIRS WALLS - UP TO MAIN LEVEL.
 - NEW MASONRY RUFFLE AT BASEMENT + MAIN LEVEL. BRICK VENEER AT EXPOSED EXTERIOR FACE.
 - NEW WAREHOUSE ADDITION. 32' X 147'-0". SEE STRUCTURAL SHEETS.
 - NEW 42" HIGH RAILING.
 - NEW SECURE FENCE + GATE.
 - NEW MAIN GATE WALL. 8'-0" HIGH. REFER TO SITE PLAN. SEE ELEC MICRODOOR DOOR #92-107/108.
- CABINETS - CASE GOODS - SEE A-8 SERIES
- DESK CABINET - CHECK-BY / ADMINISTRATION / SECURITY
 - CABINET - STORAGE - CLOSET
 - PREDICT DISPLAY CABINET
 - CABINETS - DRAWERS + DOORS AS INDICATED. FLAT PANEL OVERLAY HINGED DOORS. APPLY EXPOSED EDGE 3/4" CORNER. WOOD VENEER FINISH TYPICAL.
 - TOUCH LATCH OPERATION / HEAVY DUTY EURO STYLE OVERLAY CABINET HINGES / GUARDS BY HAFEL.
 - 4" ROCK MATERIAL - FINISH SAME AS C4.
 - SHELF / DOOR
 - SHELF / ADJUSTABLE
 - LOCKS FOR CABINETS - VENEER DURING SHOP DRAWINGS.
 - 1/2" APPLE POLY BOX GUARDROUND + VENEER BACK PANEL.
 - SOLID SURFACE BACK SPLASH - CASCARA STONE. WHITE QUARTZ / PURE WHITE.
 - 2" MOULD PER CABINET (1) HANGING BAR PER CABINET.
 - LOCKERS - X.
- STRUCTURAL - REFER TO STRUCTURAL SHEETS.
- NEW STRUCTURAL STEEL UNITS ASSEMBLY AT EXISTING BRICK MASONRY WALL (7'-0" SPAN).
 - NEW STRUCTURAL STEEL UNITS ASSEMBLY AT EXISTING BRICK MASONRY WALL (17'-0" SPAN).
 - NEW STRUCTURAL FOOTING PLATE AT EXISTING CONCRETE COLUMN + STEEL PIPE COLUMN + STEEL BEAM AT EXISTING FRAME WALL. + WOOD TRUSSES.
 - NEW EQUIPMENT SHEDDING. REFER TO STRUCTURAL.
 - NEW STRUCTURAL STEEL PORTAL AT ROLL UP GARAGE DOOR ASSEMBLY STEEL COLUMN ON TUBE / FOUNDATION PLATE. STEEL UNITS (12'-0" SPAN) AT EXISTING MASONRY WALL.
 - NEW STRUCTURAL STEEL PORTAL AT ROLL UP GARAGE DOOR ASSEMBLY STEEL COLUMN / FOUNDATION PLATE. UNITS AT NEW METAL FRAME WALL.
 - NEW STRUCTURAL STEEL AT DOOR / WINDOW ASSEMBLY AT NEW METAL FRAME WALL.
 - NEW STRUCTURAL CONCRETE UNITS / BOND BEAM TO MATCH EXISTING.
 - NEW CAR LIFT - REPAIRS STRUCTURAL REINFORCEMENT.
- MECHANICAL - REFER TO MECHANICAL SHEETS.
- NEW ALUMINUM GRATING. REFER TO SPECIFICATION.
 - NEW MECHANICAL SUPPLY ASSEMBLY BEYOND M1.
 - NEW MECHANICAL DUCTWORK.
 - NEW MECHANICAL ROOF TOP UNIT.
 - NEW MECHANICAL SCREEN. TUBE STEEL FRAME + PERFORATED SHEET.
 - NEW MECHANICAL GROUND MOUNT EQUIPMENT.
- PLUMBING - REFER TO PLUMBING SHEETS.
- 1" - 1/2" LAVATORY / LIT - LAVATORY FAUCET - 30" X 48" ADA FRONT APPROACH.
 - FLOOR DRAIN - REFER TO PLUMBING SHEETS.
 - EXISTING WATER SERVICE.
 - EXISTING FIRE RISER.
 - NEW FIRE RISER.
 - 3/4" - 1/2" - 1/4" FAUCET - 30" X 48" ADA PARALLEL APPROACH.
- ELECTRIC - REFER TO ELECTRIC SHEETS.
- ELECTRIC PANELS.
 - RECEIVER - REFER TO SPECIFICATION.
 - DISCONNECT - REFER TO ELECTRICAL POWER PLAN.
- EQUIPMENT - REFER TO SYSTEMS PLAN / FLOOR PLAN / ELECTRIC POWER PLAN.
- F1 - FREEZER / ICE MAKER - (BOSCH) DOOR PANEL MATCH ADJACENT.
 - R1 - REFRIGERATOR - (BOSCH) DOOR PANEL MATCH ADJACENT.
 - M1 - MICROWAVE - (BOSCH) DOOR PANEL MATCH ADJACENT.
 - DW1 - DISHWASHER - DOOR PANEL MATCH ADJACENT (BOSCH) DOOR PANEL MATCH ADJACENT.
 - HW1 - HOT WATER DISPENSER - FAUCET 1/2" FILTER (SEE ROOM DATA).
 - HWH1 - HOT WATER HEATER (ELECTRIC). REFER TO PLUMBING PLAN.
- FABRICATION EQUIPMENT - REFER TO FLOOR PLAN / ELECTRIC POWER PLAN.
- CNC POSITION / TABLE TYPICAL. SHORING BELOW REFER TO STRUCTURAL.
- SYSTEMS - AV / DATA / COMMUNICATIONS / SECURITY - REFER TO POWER PLAN.
- AV / DATA POWER - FLAT PANEL DISPLAY - WALL MOUNT.
 - SV2 - AV / DATA POWER - PROJECTOR ABOVE.
 - SV3 - AV / DATA POWER - LAP TOP INTERFACE.
 - SV4 - DATA / POWER - EMPLOYEE - TABLE - CHAIRS + MOUNTING BRACKET.
 - SV5 - CARD READER - ENTRY DOORS SYSTEM.
 - SV6 - CARD READER / POINT OF ENTRY PAD - ENTRY GATE SYSTEM.
- LIGHTING - REFER TO RCP A-3.
- DOWNLIGHT LINEAR FLUORESCENT SUSPENDED.
 - DOWNLIGHT LINEAR SURFACE MOUNT AT CEILING.
 - LIGHT - WALL WASHER FLUORESCENT STRIP AT COVE AT CEILING.
 - LIGHT - DOWNLIGHT RECESSED CAN AT CEILING.
 - LIGHT - UP LIGHT FLUORESCENT SURFACE MOUNT AT COVE AT BASE CABINET.
 - LIGHT - HIGH BAY PENDANT DOWN LIGHT.
- REFER TO ELECTRIC POWER PLAN - RCP A-3.
 - EXIT SIGNS PER PERSONAL AIR WALL BLADE. REFER TO SPECIFICATION.
 - EXIT SIGNS WALL MOUNT. REFER TO SPECIFICATION.
 - EXIT SIGNS CEILING MOUNT. REFER TO SPECIFICATION.
- 1 - REFER TO SP PLAN / RCP A-3.
- FIRE RISER. REFER TO FIRE SHEETS. TO BE PAINTED.
 - FIRE SPRINKLER - EXISTING AND NEW PIPING TO BE PAINTED.
 - FIRE EXTINGUISHER - FULLY RECESSED FIRE EXTINGUISHER CABINET.
- ADA1 DOOR MANEUVERING CLEARANCE TYPICAL. WIDTH DOOR WIDTH - 18" MIN. FULL SIDE 12" PUSH WITH CLOSER. 2" PUSH PATHWAY CLOSER / DEPTH 80" MIN.
- ADA2 TURNING MANEUVERING CLEARANCE TYPICAL. RADIUS 5'-0" MIN.
- ADA3 TOILET MANEUVERING CLEARANCE TYPICAL. WIDTH 5'-0" MIN. + DEPTH 4'-8" MIN.
- ADA4 HAND DRYER MANEUVERING CLEARANCE TYPICAL. WIDTH 2'-0" MIN. + DEPTH 4'-0" MIN.
- ADA5 KITCHEN SINK PARALLEL APPROACH CLEARANCE TYPICAL. WIDTH 2'-0" MIN. + DEPTH 4'-0" MIN.
- ADA6 VANITY MANEUVERING CLEARANCE TYPICAL. WIDTH 2'-0" MIN. + DEPTH 4'-0" MIN.

ksport




ENLARGED FLOOR PLAN

A2.4



KEYED NOTES

- EXISTING WALL TO REMAIN. CLAY BRICK FINISH TO BE CHEMICALLY CLEANED + SEALED. OTHER EXISTING MATERIALS TO BE PAINTED TYPICAL.
 - EXISTING STRUCTURAL STEEL TO BE CHEMICALLY STRIPPED (CLEANED) + PAINTED.
 - EXISTING PLASTER TO BE REMOVED + FINISHED.
 - EXISTING WINDOW OPENING. REMOVE EXISTING WINDOW ASSEMBLY + REPLACE WITH NEW STEEL BRACKET FRAME + INSULATED GLASS UNIT (TRANSLUCENT FILM AT INTERIOR WHERE OCCURS).
 - EXISTING DOOR OPENING. REMOVE EXISTING DOOR ASSEMBLY + REPLACE WITH NEW STEEL BRACKET FRAME + INSULATED GLASS UNIT (TRANSLUCENT FILM AT INTERIOR WHERE OCCURS).
 - EXISTING WINDOW STRUCTURE TO BE CLEANED + SEALED.
 - NEW PAINTED LEVEL 5 GYM WALL FRAMING. REFER TO FLOOR PLAN A-2.
 - NEW PAINTED LEVEL 5 GYM CEILING FRAMING. REFER TO RCP A-3.
 - NEW DOOR WINDOW SYSTEM - PAINTED HOLDOWN METAL DOOR (FULL LIFE 1" INSULATED GLASS UNIT WHERE OCCURS) (1" INSULATED GLASS UNIT ASSEMBLY WHERE OCCURS). SEE PLANS ELEVATIONS + DOOR FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
 - NEW INTERIOR GLAZING - FRAMELESS SLIDING GLASS DOOR SYSTEM. SEE PLANS ELEVATIONS + DOOR FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS.
 - NEW ROLL UP GARAGE DOOR SYSTEM - 1" PLATE BRACKET FRAME AS REQUIRED ALUMINUM / RAIN DOOR WITH 1" INSULATED GLASS UNITS. MANUAL OPERATION. SEE PLANS ELEVATIONS + DOOR FRAME SCHEDULE AND DETAILS FOR ADDITIONAL INFORMATION AND INTERACTION WITH BUILDING SYSTEMS. REFER TO STRUCTURAL SHEETS.
 - NEW 1/4" STEEL PLATE BRACKET WINDOW FRAME WITH FIXED 1" INSULATED GLASS UNIT.
 - ROLLER SHADE - LOCATED AT EACH WINDOW TYP. ARCH SHADE ASSEMBLY COLOR DARK GRAY. REFER TO SPECIFICATION.
 - GYM FLOOR - 5" GYM / LEVEL 5 FLOOR. REFER TO SPECIFICATION.
 - NEW CARPET TILE - REFER TO FINISH SCHEDULE.
 - EXISTING CONCRETE FLOOR - MEDIUM GRIND / CLEAN / SEAL. REFER TO FINISH SCHEDULE.
 - NEW CONCRETE SLAB - 6" VEHICULAR.
 - 1" X 4" APPLIED HOT ROLLED FLAT BAR BASE. COUNTERSINK FLUSH ATTACHMENT TO MATCH AT 2" VISC. PROVIDE GASKET SEALER.
 - NEW PAPER FACED INSULATION IN ANGLE (1" X 1") APPLIED BELOW EXISTING METAL CEILING PANELS AT ROOF. PAINTED.
 - NEW INSULATION BATT (R19 CEILING / R11 WALLS / ACOUSTIC) IN NEW FRAME WALLS AS INDICATED. REFER TO MECHANICAL SPECIFICATION.
 - GLASS PANEL BARRING BOARDS. BACK PAINTED COLOR TBD.
 - BLOCKING AS REQUIRED TYPICAL.
 - LINE OF SOFFIT / EQUIPMENT ABOVE. REFER TO RCP.
 - NEW EXTERIOR WALL WALL. METAL PANEL RAIN SCREEN. VAPOR BARRIER SHEET / 1/2" PLYWOOD SHEATHING / 1" STEEL STUD FRAMING / THERMAL INSULATION (R19) / PAINTED LEVEL 5 GYM INTERIOR FINISH. REFER TO FLOOR PLAN A-2.
 - NEW FOAM ROOF ASSEMBLY R19 MINIMUM.
 - NEW CONCRETE STAIR / MASONRY RETAINING WALLS - DOWN TO BASEMENT.
 - NEW CONCRETE STAIR / MASONRY RETAINING WALLS - UP TO MAIN LEVEL.
 - NEW MASONRY WALL TO BASEMENT - MAIN LEVEL - BRICK VENEER AT EXPOSED EXTERIOR FACE.
 - NEW MASONRY ADDITION - 32" X 142" - SEE STRUCTURAL SHEETS.
 - NEW 42" HIGH RAILING.
 - NEW SECURE FENCE + GATE.
 - NEW BAS. SITE WALL - 8'-0" HIGH - REFER TO SITE PLAN - SAN EIGHT MICROACH DOG #92-497905.
- CABINETS - CASE GOODS - SEE A-6 SERIES
- C1 DESK CABINET - CHECK-IN / ADAM'S TRACK / SECURITY
- C2 CABINET - STORAGE - CLOSURE
- C3 PRODUCT DISPLAY CABINET
- C4 CABINETS - DRAWERS - DOORS AS INDICATED. FLAT PANEL OVERLAY / HINGED DOORS. APPLY EXPOSED EDGE 3/4" CORE. WOOD VENEER FINISH TYPICAL.
- C5 TOUCH LATCH OPERATION / HEAVY DUTY EURO STYLE OVERLAY CABINET HINGES / GLIDES BY HALEL.
- C6 4" X 6" MATERIAL - FINISH SAME AS C4.
- C7 SHELF INDEX
- C8 SHELF ADJUSTABLE
- C9 LOCKS FOR CABINETS - VERIFY DURING SHOP DRAWINGS
- C10 1/2" APPLE PLY BOX SURROUND + VENEER BACK PANEL
- C11 SOLID SURFACE BACK SPLASH - CLASSIC STONE / WHITE QUARTZ / PURE WHITE
- C12 (2) HOOKS PER CABINET (1) HANGING BAR PER CABINET
- C13 LOCKERS X
- STRUCTURAL - REFER TO STRUCTURAL SHEETS.
- S1 NEW STRUCTURAL STEEL LINTEL ASSEMBLY AT EXISTING BRICK MASONRY WALL (7'-0" SPAN).
- S2 NEW STRUCTURAL STEEL LINTEL ASSEMBLY AT EXISTING BRICK MASONRY WALL (12'-0" SPAN).
- S3 NEW STRUCTURAL FOOTING PLATE AT EXISTING CONCRETE COLUMN + STEEL PIPE COLUMN + STEEL BEAM AT EXISTING FRAME HALL + WOOD TRUSSES.
- S4 NEW EQUIPMENT SHEDDING. REFER TO STRUCTURAL.
- S5 NEW STRUCTURAL STEEL PORTAL AT ROLL UP GARAGE DOOR ASSEMBLY STEEL COLUMN ON TUBE / FOUNDATION PLATE / STEEL LINTEL (12'-0" SPAN) AT EXISTING MASONRY WALL.
- S6 NEW STRUCTURAL STEEL PORTAL AT ROLL UP GARAGE DOOR ASSEMBLY STEEL COLUMN / FOUNDATION PLATE - LINTEL AT NEW METAL FRAME WALL.
- S7 NEW STRUCTURAL STEEL AT DOOR / WINDOW ASSEMBLY AT NEW METAL FRAME WALL.
- S8 NEW STRUCTURAL CONCRETE LINTEL / BOND BEAM TO MATCH EXISTING.
- S9 NEW CAN LIFT - REQUIRES STRUCTURAL REINFORCEMENT.
- MECHANICAL - REFER TO MECHANICAL SHEETS.
- M1 NEW ALUMINUM GRATING. REFER TO SPECIFICATION.
- M2 NEW MECHANICAL SUPPLY ASSEMBLY BEHIND M1.
- M3 NEW MECHANICAL DUCTWORK.
- M4 NEW MECHANICAL ROOF TOP UNIT.
- M5 NEW MECHANICAL SCREEN TUBE STEEL FRAME - PERFORATED SHEET.
- M6 NEW MECHANICAL CONDENSATE REMOVAL EQUIPMENT.
- PLUMBING - REFER TO PLUMBING SHEETS.
- P1 L1 - LAVATORY / L1 - LAVATORY FAUCET - 30"x48" ADA FRONT APPROACH.
- P2 FLOOR DRAIN - REFER TO PLUMBING SHEETS.
- P3 EXISTING WATER SERVICE.
- P4 EXISTING FINE RISER.
- P5 NEW FINE RISER.
- P6 3/4" SINK / 12" FAUCET - 30"x48" ADA PARALLEL APPROACH.
- ELECTRIC - REFER TO ELECTRIC SHEETS.
- E1 ELECTRIC PANELS.
- E2 RECEPTACLE - REFER TO SPECIFICATION.
- E3 DISCONNECT - REFER TO ELECTRICAL POWER PLAN.
- EQUIPMENT - REFER TO SYSTEMS PLAN / FLOOR PLAN / ELECTRIC POWER PLAN.
- E1 FREEZER / ICE MAKER - (GLAZED) DOOR PANEL MATCH ADJACENT.
- E2 REFRIGERATOR - (GLAZED) DOOR PANEL MATCH ADJACENT.
- E3 MICROWAVE - (SAME GLAZING).
- E4 DWSH - DISHWASHER - DOOR PANEL MATCH ADJACENT (BOSCH 30"X24").
- E5 HOT WATER DISPENSER - FAUCET / HOT WATER (BOSCH 30"X24").
- E6 HOT WATER HEATER (ELECTRIC). REFER TO PLUMBING PLAN.
- FABRICATION EQUIPMENT - REFER TO FLOOR PLAN / ELECTRIC POWER PLAN.
- F1 CNC POSITION / TABLE TYPICAL / SHORING BELOW REFER TO STRUCTURAL.
- SYSTEMS - AV / DATA / COMMUNICATIONS / SECURITY - REFER TO POWER PLAN.
- SYS1 AV / DATA POWER - FLAT PANEL DISPLAY - WALL MOUNT.
- SYS2 AV / DATA POWER - PROJECTOR ABOVE.
- SYS3 AV / DATA POWER - LAPTOP INTERFACE.
- SYS4 DATA / POWER - EMPLOYEE - TABLE - CHARGING + MOUNTING BRACKET.
- SYS5 CARD READER - ENTRY DOORS SYSTEM.
- SYS6 CARD READER / POINT OF ENTRY PAD - ENTRY GATE SYSTEM.
- LIGHTING - REFER TO RCP A-3.
- L1 DOWNLIGHT LINE IN FLUORESCENT SUSPENDED.
- L2 DOWNLIGHT LINE SURFACE MOUNT AT CEILING.
- L3 LIGHT - WALL WASH / FLUORESCENT STOP AT COVE AT CEILING.
- L4 LIGHT - DOWNLIGHT RECESSED CAN AT CEILING.
- L5 LIGHT - UPLIGHT FLUORESCENT SURFACE MOUNT AT COVE AT BASE CABINET.
- L6 LIGHT - HIGH BAY PENDANT DOWN LIGHT.
- 16 - REFER TO ELECTRIC POWER PLAN / RCP A-3.
- 151 EXISTING PERPENDICULAR WALL BLADE. REFER TO SPECIFICATION.
- 152 EXISTING WALL BLADE. REFER TO SPECIFICATION.
- 153 EXISTING CEILING MOUNT. REFER TO SPECIFICATION.
- 1 - REFER TO SP PLAN / RCP A-3.
- 17 FIRE RISER. REFER TO FIRE SHEETS TO BE PAINTED.
- 18 FIRE SPRINKLER - EXISTING AND NEW PIPING TO BE PAINTED.
- 19 FIRE EXTINGUISHER - FULLY RECESSED FIRE EXTINGUISHER CABINET.
- ADA1 DOOR MANEUVERING CLEARANCE TYPICAL. WIDTH DOOR WIDTH + 18" MIN. PULL SIDE / 12" PUSH WITH CLOSER / 12" PUSH WITHOUT CLOSER / 12" MIN.
- ADA2 TURNING / MANEUVERING CLEARANCE TYPICAL. RADIUS 5'-0" MIN.
- ADA3 TURN / MANEUVERING CLEARANCE TYPICAL. WIDTH 2'-0" MIN. + DEPTH 2'-0" MIN.
- ADA4 HAND / TURN / MANEUVERING CLEARANCE TYPICAL. WIDTH 2'-0" MIN. + DEPTH 2'-0" MIN.
- ADA5 KITCHEN SINK PARALLEL APPROACH CLEARANCE TYPICAL. WIDTH 2'-0" MIN. + DEPTH 2'-0" MIN.
- ADA6 VANITY MANEUVERING CLEARANCE TYPICAL. WIDTH 2'-0" MIN. + DEPTH 2'-0" MIN.



ksport

254 west broadway
mesa, arizona 85201

SEPTEMBER 09 2015
© copyright 2015
14147

debartoloarchitects

4450 north 12th street
number 268
phoenix, arizona 85014
tel 602.264.6617
jak3@debartoloarchitects.com

SHEET SCALE: 1/8" = 1'-0"

ENLARGED FLOOR PLAN


A2.5

EXISTING ELEVATIONS KEYED NOTES


- EXISTING CONCRETE RAMP - MASONRY WALLS TO BE REMOVED. AS REQUIRED FOR NEW CONSTRUCTION.
- EXISTING MASONRY WTE WALL TO BE REMOVED. AS REQUIRED FOR NEW CONSTRUCTION.
- EXISTING RIDGE CLEARSTORY BEYOND TO REMAIN.
- EXISTING DAMAGE TO REMAIN.
- NEW ENTRY LIGHT POLE - LUMINAIRE 25'-0" HIGH BEYOND.
- NEW STEEL SHEET PANELS 12'-0" HIGH.
- NEW STAND-UP CONCRETE CURB TYPICAL.
- NEW VEHICULAR ASPHALTIC PAVEMENT.
- NEW MASONRY SIDE WALL 8'-0" HIGH.
- NEW VEHICULAR GATE DASHED - OPEN POSITION BEYOND.
- NEW VEHICULAR GATE ACCESS CONTROLS.
- NEW TIME DEPARTMENT VEHICULAR ACCESS CONTROLS. KNOX BOX.
- NEW STEEL PANEL ROLLING VEHICULAR GATE - CLOSED POSITION.
- NEW PEDESTRIAN SIDEWALK TO PUBLIC ROW.
- NEW STAIR - HANDRAIL (DASHED WHERE BEYOND).
- NEW MASONRY WALL 8'-0" HIGH.
- NEW PERFORATED STEEL PANEL SCREEN WALL.
- NEW PERFORATED STEEL PANEL SECURITY GATE.
- EXISTING UNSC. ITEMS TO BE REMOVED. CONFIRM WITH OWNER ARCHITECT.
- EXISTING CAP DETAIL TO REMAIN.
- EXISTING PAINTED STAIRS TO REMAIN.
- EXISTING WINDOW VENEER TO REMAIN.
- EXISTING WINDOWS TYPE 2. TO REMAIN TYPICAL.
- EXISTING WINDOW - CLEARSTORY WINDOW OPENING TO REMAIN. REMOVE WINDOW ASSEMBLY.
- BASE SHUTTERING AS REQUIRED FOR NEW CONSTRUCTION.
- EXISTING CONCRETE BASEMENT WALL. TO REMAIN.
- EXISTING (2) SCUPPER BOX - DOWN SPOUT ASSEMBLIES TO BE REMOVED. AS REQUIRED FOR NEW CONSTRUCTION.
- EXISTING (2) DOOR OPENINGS. REMOVE DOOR ASSEMBLY (1) MASONRY INFILL (2) AS REQUIRED FOR NEW CONSTRUCTION.
- EXISTING (2) OPENINGS. REMOVE GLASS BLOCK INFILL. AS REQUIRED FOR NEW CONSTRUCTION.
- EXISTING VENTILATORS (2 OF 3 GRILLS - FANS TO REMAIN). 3RD OF 3 FAN - OPENING TO REMAIN FOR NEW CONSTRUCTION.
- EXISTING STRUCTURE DASHED BEYOND. TO REMAIN.
- EXISTING CONCRETE FRAME STRUCTURE. TO REMAIN.
- EXISTING BASEMENT DOOR OPENING BEYOND TO REMAIN. REMOVE EXISTING DOOR ASSEMBLY.
- GLASS WALL ASSEMBLY AS REQUIRED FOR NEW CONSTRUCTION.
- EXISTING (2) WOOD SHED ROOF CANOPIES. TO BE REMOVED AS REQUIRED.
- EXISTING WINDOWS TYPE 2. TO REMAIN.
- NEW WALL MOUNT LUMINAIRES. REFER TO LIGHTING SCHEDULE. VERIFY LOCATION WITH ARCHITECT ON FIELD.
- NEW STEEL GLITTER. AT NEW STEEL BUILDING ADDITION - EXISTING STRUCTURE.
- NEW STEEL SPLASH BOX.
- EXISTING SPRINKLER RISER BEYOND. RELOCATE AS REQUIRED FOR NEW CONSTRUCTION.
- NEW STEEL PLATE GATES.
- NEW ADDITION - MASONRY WALL 8'-0" HIGH.
- NEW ADDITION - METAL PANEL SIDING.
- EXISTING MASONRY BUILDING TO REMAIN.
- NEW INFILL / MASONRY AT EXISTING. TO BE PAINTED GRAY.
- EXISTING (2) WINDOWS. REMOVE ASSEMBLIES FOR NEW ENTRY OPENING.
- EXISTING ROOF EDGE. PROVIDE NEW ROOFING - EDGE FLASHING FOR NEW CONSTRUCTION.
- EXISTING (4) BASEMENT WINDOWS. REMOVE WINDOW ASSEMBLY. SHUTTERING OPENING TO BE FILLED-IN TYPICAL.
- EXISTING OPENING. REMOVE DOOR / WINDOW ASSEMBLY. SHUTTERING. TO ACCOMPLISH NEW CONSTRUCTION.
- EXISTING CONCRETE DOCK AND STEEL STAIR TO BE REMOVED.
- EXISTING CANTRILEVELD CANOPY STEEL FRAME / METAL ROOFING PANEL TO BE REMOVED.
- EXISTING PAVEMENT TO BE REMOVED. TO ACCOMPLISH NEW WORK.
- EXISTING ROOF DRAIN - DOWNSPUTS TO REMAIN.
- EXISTING ELECTRICAL CABINETS TO REMAIN.
- EXISTING CONCRETE WALL TO REMAIN.
- EXISTING STEEL STAIR TO REMAIN.
- EXISTING CANOPY STRUCTURE TO REMAIN.
- EXISTING MMA FRAME - DOOR. SEE DOOR SCHEDULE.
- EXISTING ROLL-UP DOOR. SEE DOOR SCHEDULE.
- EXISTING STEEL STAIR TO BE REMOVED.
- NEW DRIVEWAY ENTRANCE WITH SIDEWALK ATTACHED TO CURB.
- NEW ACCESSIBLE RAMP TO ENTRY.
- NEW ACCESSIBLE RAMP EDGE STOP.
- NEW ACCESSIBLE RAMP HANDRAIL.
- EXISTING ELECTRICAL CONDUIT TO BE REMOVED. REFER TO NEW ELECTRICAL SHEETS.
- EXISTING FOAM ROOFING. TO BE REPLACED.



VICINITY MAP



1 EXISTING SOUTH ELEVATION
1/8" = 1'-0"



2 EXISTING WEST ELEVATION
1/8" = 1'-0"


ksport

254 west broadway
mesa, arizona 85201
SEPTEMBER 09 2015
© copyright 2015
14147

debartoloarchitects
4450 north 12th street
number 268
phoenix, arizona 85014
tel: 602.264.6517
jack3@debartoloarchitects.com


SHEET SCALE: 1/8" = 1'-0"
EXISTING ELEVATIONS

A5.2



1 SOUTH ELEVATION - WEST ENTRY GATE

1/8" = 1'-0"



2 SOUTH ELEVATION

1/8" = 1'-0"

ELEVATIONS KEYED NOTES ②

1. EXISTING PARKING CANOPY TO REMAIN. NEW PAINT GRAY TYPICAL.
2. EXISTING MASONRY WALL TO REMAIN. NEW PAINT GRAY TYPICAL.
3. NEW MASONRY TO 8'-0" NEW PAINT GRAY TYPICAL.
4. EXISTING SCISSOR TO REMAIN. NEW PAINT GRAY TYPICAL.
5. NEW ENTRY LIGHT POLE - LUMINAIRE 11'-0" HIGH BY TYPICAL.
6. NEW STEEL SHEET PANELS 12'-0" HIGH.
7. NEW STAND UP CONCRETE CURB TYPICAL.
8. NEW VEHICULAR ASPHALTIC PAVEMENT.
9. NEW MASONRY SITE WALL 8'-0" HIGH.
10. NEW VEHICULAR GATE DASHED - OPEN POSITION BEYOND.
11. NEW VEHICULAR GATE ACCESS CONTROLS.
12. NEW TIME DEPARTMENT VEHICULAR ACCESS CONTROLS - RACK BOX.
13. NEW STEEL PANEL ROLLING VEHICULAR GATE - CLOSED POSITION.
14. NEW PEDESTRIAN SIDE WALK TO PUBLIC ROW.
15. NEW STAIR - HANDRAIL (GLASS) WHERE BEYOND.
16. NEW MASONRY WALL 8'-0" HIGH.
17. NEW PERFORATED STEEL PANEL SCREEN WALL.
18. NEW PERFORATED STEEL PANEL SECURITY GATE.
19. EXISTING MISC. ITEMS TO BE REMOVED - CONSULT PATH OWNER / ARCHITECT.
20. EXISTING CAP DETAIL PATCH - REPAIR - SEAL MATCH ADJACENT / APPROVED SAMPLE TYPICAL.
21. EXISTING PAINTED SURFACE TO REMAIN. STABILIZE - SEAL TO MATCH APPROVED SAMPLE TYPICAL.
22. EXISTING BRICK VENEER PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH APPROVED SAMPLE TYPICAL.
23. EXISTING WINDOWS TYPE 2, REHABILITATE AS REQUIRED - RE-GLAZE AS REQUIRED - VERIFY OPERABILITY - LOCKABILITY TO MATCH ADJACENT / APPROVED SAMPLE / CHEMICAL STRIP CLEAN VENTILATION FRAME TYPICAL.
24. NEW STEEL BUCKET WINDOW TYPE 1 IN EXISTING OPENING. REMOVE EXISTING WINDOW ASSEMBLY AS REQUIRED.
25. EXISTING CONCRETE WALL PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH ADJACENT / APPROVED SAMPLE TYPICAL.
26. NEW STEEL PLATE SCUPPER BOX ASSEMBLY TYPICAL - STEEL PLATE SPLASH BOX BELLOW TYPICAL. REMOVE EXISTING AS REQUIRED.
27. NEW STEEL BUCKET WINDOW / WALK-IN DEPTH TYPE 2, AT (1) EXISTING DOOR LOCATIONS, REMOVE (2) MASONRY INFILL / (1) DOOR - FRAME AS REQUIRED PATCH - REPAIR TO MATCH ADJACENT.
28. NEW STEEL BUCKET WINDOW TYPE 1 AT (2) EXISTING GLASS BLOCK (TO BE REMOVED) LOCATIONS.
29. EXISTING VENTILATOR REHABILITATE AS REQUIRED FOR FUNCTIONING (2 OF 3, 3 OF 3 REPLACE WITH NEW UNIT MATCH EXISTING).
30. EXISTING STRUCTURE DASHED BEYOND.
31. EXISTING CONCRETE STRUCTURE PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH ADJACENT / APPROVED SAMPLE TYPICAL.
32. NEW STEEL BUCKET WINDOW / WALK-IN DEPTH TYPE 2, AT (1) EXISTING DOOR LOCATION, DEMO EXISTING DOOR - FRAME - STAIR ASSEMBLY ADD MASONRY INFILL AT OPENING - PROVIDE WATERPROOFING / DAMP PROOFING, BACKFILL STAIR LOCATION, REPLACE BRICK VENEER TO 4' HIGH ABOVE ADJACENT GRADE - AS REQUIRED.
33. REMOVE (2) WOOD SHED ROOF CANOPIES: AT DOOR LOCATIONS, PATCH - REPAIR BACK TO MATCH ADJACENT.
34. EXISTING WINDOWS TYPE 2, REHABILITATE AS REQUIRED - RE-GLAZE AS REQUIRED - VERIFY OPERABILITY - LOCKABILITY TO MATCH ADJACENT / APPROVED SAMPLE / CHEMICAL STRIP CLEAN VENTILATION FRAME TYPICAL.
35. NEW WALL MOUNT LUMINAIRES, REFER TO LIGHTING SHEETS, VERIFY LOCATION WITH ARCHITECT IN FIELD.
36. NEW STEEL GUTTER AT NEW STEEL BUILDING ADDITION - EXISTING STRUCTURE.
37. NEW STEEL SPLASH BOX.
38. SPRINKLER RISER BEYOND.
39. NEW STEEL PLATE GATES.
40. NEW ADDITION - MASONRY WALL 8'-0" HIGH.
41. NEW ADDITION - METAL PANEL SIDING.
42. EXISTING MASONRY BUILDING, TO BE PAINTED GRAY TYPICAL.
43. NEW INFILL / MASONRY AT EXISTING, TO BE PAINTED GRAY.
44. NEW OPENING, STRUCTURAL STEEL LINTEL / PIVOT DOORS IN STEEL BUCKET FRAME / STEEL BUCKET WINDOWS / SECURITY GATE.
45. NEW STEEL PLATE ROOF GUTTER / SCUPPER / DOWNSPOUT AS REQUIRED.
46. EXISTING BASEMENT WINDOW PROVIDE MASONRY INFILL, WATER PROOFING TYPICAL.
47. EXISTING OPENING TO BE INFILLED WITH STEEL STUD WALL FRAMING / GYM INTERIOR / METAL PANEL EXTERIOR SIDING.
48. CAST IN PLACE CONCRETE RAMP / STAIR.
49. EXISTING CANELEVATED CANOPY STEEL FRAME / METAL ROOFING PANEL.
50. NEW LANDSCAPE AREA. SEE LANDSCAPE SHEETS.
51. EXISTING ROOF DRAIN - DOWNSPOUTS TO REMAIN TO BE PAINTED GRAY TYPICAL.
52. EXISTING ELECTRICAL CABINETS TO REMAIN, TO BE PAINTED GRAY TYPICAL.
53. EXISTING CONCRETE WALL TO REMAIN, TO BE PAINTED GRAY TYPICAL.
54. EXISTING STEEL STAIR TO REMAIN, TO BE PAINTED GRAY TYPICAL.
55. EXISTING CANOPY STRUCTURE TO REMAIN, TO BE PAINTED GRAY TYPICAL.
56. EXISTING HALL FRAME - DOOR, SEE DOOR SCHEDULE, PAINT GRAY TYPICAL.
57. EXISTING ROLL-UP DOOR, SEE DOOR SCHEDULE, PAINT GRAY TYPICAL.
58. EXISTING STEEL STAIR TO BE REMOVED.
59. NEW DRIVEWAY (ENTRANCE WITH SIDEWALK ATTACHED TO CURB).
60. NEW ACCESSIBLE RAMP TO ENTRY.
61. NEW ACCESSIBLE RAMP EDGE STOP.
62. NEW ACCESSIBLE RAMP HANDRAIL.



VICINITY MAP

ksport

254 west broadway
mesa, arizona 85201


SEPTEMBER 09 2015
© copyright 2015
14147

debartoloarchitects

4450 north 12th street
number 268
phoenix, arizona 85014
tel 602.264.6617
jack@debartoloarchitects.com


SHEET SCALE: 1/8" = 1'-0"
SOUTH ELEVATIONS

A5.5



3 SOUTH ELEVATION - ADDITION

1/8" = 1'-0"



4 SOUTH ELEVATION - EAST ENTRY GATE

1/8" = 1'-0"

ELEVATIONS KEYED NOTES 7

- EXISTING PARKING CANOPY TO REMAIN NEW PAINT GRAY TYPICAL
- EXISTING MASONRY WALL TO REMAIN NEW PAINT GRAY TYPICAL
- NEW MASONRY TO 8'-0" NEW PAINT GRAY TYPICAL
- EXISTING SIGNAGE TO REMAIN NEW PAINT GRAY TYPICAL
- NEW ENTRY LIGHT POLE - LUMINAIRE 23'-0" HIGH BEYOND
- NEW STEEL SHEET PILING 12'-0" HIGH
- NEW STAND-UP CONCRETE CURB TYPICAL
- NEW VEHICULAR ASPHALTIC PAVEMENT
- NEW MASONRY SIDE WALL 8'-0" HIGH
- NEW VEHICULAR GATE DASHED OPEN POSITION BEYOND
- NEW VEHICULAR GATE ACCESS CONTROLS
- NEW FIRE DEPARTMENT VEHICULAR ACCESS CONTROLS - KICK BOX
- NEW STEEL PANEL ROLLING VEHICULAR GATE - CLOSED POSITION
- NEW PEDESTRIAN SIDEWALK TO PUBLIC RDV
- NEW STAIR - HANDRAIL DASHED WHERE BEYOND
- NEW MASONRY WALL 8'-0" HIGH
- NEW PERFORATED STEEL PANEL SCREEN WALL
- NEW PERFORATED STEEL PANEL SECURITY GATE
- EXISTING MISC ITEMS TO BE REMOVED COORDINATE WITH OWNER / ARCHITECT
- EXISTING GAP DETAIL PATCH - REPAIR - SEAL MATCH ADJACENT - APPROVED SAMPLE TYPICAL
- EXISTING PAINTED 'SHALVEST' SIGNAGE TO REMAIN STABILIZE - SEAL TO MATCH APPROVED SAMPLE TYPICAL
- EXISTING BRICK VENEER PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH APPROVED SAMPLE TYPICAL
- EXISTING WINDOWS TYPE 2, REHABILITATE AS REQUIRED RE-GLAZE AS REQUIRED - VERIFY OPERABILITY - LOCKABILITY TO MATCH ADJACENT / APPROVED SAMPLE / CHEMICAL STRIP CELESTIOUS FRAME TYPICAL
- NEW STEEL BUCKET WINDOW TYPE 1 IN EXISTING OPENING REMOVE EXISTING WINDOW ASSEMBLY AS REQUIRED
- EXISTING CONCRETE WALL PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH ADJACENT / APPROVED SAMPLE TYPICAL
- NEW STEEL PLATE SCUPPER BOX ASSEMBLY TYPICAL - STEEL PLATE SPLASH BOX BELOW TYPICAL REMOVE EXISTING AS REQUIRED
- NEW STEEL BUCKET WINDOW / WALK-IN DOOR TYPE 2, AT (2) EXISTING DOOR LOCATIONS REMOVE (2) MASONRY INFILL (1) DOOR - FRAME AS REQUIRED PATCH - REPAIR TO MATCH ADJACENT
- NEW STEEL BUCKET WINDOW TYPE 1 AT (2) EXISTING GLASS BLOCK (TO BE REMOVED) LOCATIONS EXISTING VENTILATION REHABILITATE AS REQUIRED FOR FUNCTIONING (2 OF 3) 3 OF 3 REPLACE WITH NEW UNIT MATCH EXISTING
- EXISTING STRUCTURE DASHED BEYOND
- EXISTING CONCRETE STRUCTURE PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH ADJACENT - APPROVED SAMPLE TYPICAL
- NEW STEEL BUCKET WINDOW / WALK-IN DOOR TYPE 2, AT (1) EXISTING DOOR LOCATION, DEMO EXISTING DOOR - FRAME - STAIR ASSEMBLY ADD MASONRY INFILL AT OPENING - PROVIDE WATERPROOFING / DAMP PROOFING BACKFILL STAIR LOCATION REPLACE BRICK VENEER TO 8' MIN ABOVE ADJACENT GRADE AS REQUIRED
- REMOVE (3) WOOD SHED ROOF CANOPIES AT DOOR LOCATIONS PATCH - REPAIR BRICK TO MATCH ADJACENT
- EXISTING WINDOWS TYPE 2, REHABILITATE AS REQUIRED RE-GLAZE AS REQUIRED - VERIFY OPERABILITY - LOCKABILITY TO MATCH ADJACENT / APPROVED SAMPLE / CHEMICAL STRIP CELESTIOUS FRAME TYPICAL
- NEW WALL MOUNT LIGHT FIXTURES, REFER TO LIGHTING SHEETS VERIFY LOCATION WITH ARCHITECT IN FIELD
- NEW STEEL CUTTER AT NEW STEEL BUILDING ADDITION - EXISTING STRUCTURE
- NEW STEEL SPLASH BOX
- SPRINKLER RISER BEYOND
- NEW STEEL PLATE GATES
- NEW ADDITION - MASONRY WALL 8'-0" HIGH
- NEW ADDITION - METAL PANEL SIDING
- EXISTING MASONRY BUILDING TO BE PAINTED GRAY TYPICAL
- NEW INFILL / MASONRY AS EXISTING TO BE PAINTED GRAY
- NEW OPERABLE STRUCTURAL STEEL LINTEL / PHOTO DOORS IN STEEL BUCKET FRAME / STEEL BUCKET WINDOWS / SECURITY GATE
- NEW STEEL PLATE ROOF CUTTER / SCUPPER / DOWNSPOUT AS REQUIRED
- EXISTING BASEMENT WINDOW PROVIDE MASONRY INFILL WATER PROOFING TYPICAL
- EXISTING OPENING TO BE INFILLED WITH STEEL STUD WALL FRAMING / GWS IN TENDON / METAL PANEL EXTENSION SIDING
- CAST IN PLACE CONCRETE RAMP / STAIR
- EXISTING CANTILEVERED CANOPY STEEL FRAME / METAL ROOFING PANEL
- NEW LANDSCAPE AREA SEE LANDSCAPE SHEETS
- EXISTING ROOF DRAINS - DOWNSPOUTS TO REMAIN TO BE PAINTED GRAY TYPICAL
- EXISTING ELECTRICAL CABINETS TO REMAIN TO BE PAINTED GRAY TYPICAL
- EXISTING CONCRETE WALL TO REMAIN TO BE PAINTED GRAY TYPICAL
- EXISTING STEEL SHED TO REMAIN TO BE PAINTED GRAY TYPICAL
- EXISTING CANOPY STRUCTURE TO REMAIN TO BE PAINTED GRAY TYPICAL
- EXISTING WALK FRAME - DOOR SEE DOOR SCHEDULE PAINT GRAY TYPICAL
- EXISTING ROLL-UP DOOR SEE DOOR SCHEDULE PAINT GRAY TYPICAL
- EXISTING STEEL SHED TO BE REMOVED
- NEW DRIVE WAY ENTRANCE WITH SIDEWALK ATTACHED TO CURB
- NEW ACCESSIBLE RAMP TO ENTRY
- NEW ACCESSIBLE RAMP EDGE STOP
- NEW ACCESSIBLE RAMP HANDRAIL



VICINITY MAP

ksport

254 west broadway
mesa, arizona 85281

SEPTEMBER 09 2015
© copyright 2015
14147


debartoloarchitects

4450 north 12th street
number 268
phoenix, arizona 85014
tel 602.264.6617
jack3@debartoloarchitects.com

SHEET SCALE 1/8" = 1'-0"


SOUTH ELEVATIONS

A5.6



1 WEST ELEVATION - ENTRY GATE

1/8" = 1'-0"



2 WEST ELEVATION - BUILDING FACE

1/8" = 1'-0"

ELEVATIONS KEYED NOTES

1. EXISTING PARKING CANOPY TO REMAIN NEW PAINT GRAY TYPICAL
2. EXISTING MASONRY WALL TO REMAIN NEW PAINT GRAY TYPICAL
3. NEW MASONRY TO 8'-0" NEW PAINT GRAY TYPICAL
4. EXISTING SIGNAGE TO REMAIN NEW PAINT GRAY TYPICAL
5. NEW ENTRY LIGHT POLE - DIMENSION 23'-0" HIGH BEYOND
6. NEW STEEL SHEET PILES 12'-0" HIGH
7. NEW STAND UP CONCRETE CURB TYPICAL
8. NEW VEHICULAR ASPHALTIC PAVEMENT
9. NEW MASONRY GATE WALL 8'-0" HIGH
10. NEW VEHICULAR GATE DASHED - OPEN POSITION BEYOND
11. NEW VEHICULAR GATE ACCESS CONTROLS
12. NEW TYPE DEPARTMENT VEHICULAR ACCESS CONTROLS - KAYAK BOX
13. NEW STEEL PANEL ROLLING VEHICULAR GATE - CLOSED POSITION
14. NEW PEDESTRIAN SIDE WALK TO PUBLIC ROY
15. NEW SIGN - DIMENSION DASHED WHERE BEYOND
16. NEW MASONRY WALL 8'-0" HIGH
17. NEW PERFORATED STEEL PANEL SCREEN WALL
18. NEW PERFORATED STEEL PANEL SECURITY GATE
19. EXISTING LISC. ITEMS TO BE REMOVED. COORDINATE WITH OWNER / ARCHITECT
20. EXISTING GAP DETAIL PATCH - REPAIR - SEAL MATCH ADJACENT - APPROVED SAMPLE TYPICAL
21. EXISTING PAINTED SIGNAGE TO REMAIN STABLE - SEAL - TO MATCH APPROVED SAMPLE TYPICAL
22. EXISTING BRICK VENEER PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH APPROVED SAMPLE TYPICAL
23. EXISTING WINDOWS TYPE 2 REHABILITATE AS REQUIRED. RE-GLAZE AS REQUIRED - VERIFY OPERABILITY - LOCKABILITY TO MATCH ADJACENT / APPROVED SAMPLE / CHEMICAL STRIP CLEAN VITROUS FRAME TYPICAL
24. NEW STEEL BUCKET WINDOW TYPE 1. IN EXISTING OPENING. REMOVE EXISTING WINDOW ASSEMBLY AS REQUIRED
25. EXISTING CONCRETE WALL PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH ADJACENT / APPROVED SAMPLE TYPICAL
26. NEW STEEL PLATE SCUPPER BOX ASSEMBLY TYPICAL - STEEL PLATE SPLASH BOX BELOW TYPICAL. REMOVE EXISTING AS REQUIRED
27. NEW STEEL BUCKET WINDOW / VOLUME IN DEPTH TYPE 2. AT (1) EXISTING DOOR LOCATIONS. REMOVE (2) MASONRY INFILL / (1) DOOR - FRAME AS REQUIRED PATCH - REPAIR TO MATCH ADJACENT
28. NEW STEEL BUCKET WINDOW TYPE 1. AT (2) EXISTING GLASS BLOCK (TO BE REMOVED) LOCATIONS
29. EXISTING VENTILATION REHABILITATE AS REQUIRED FOR FUNCTIONING (2 OF 3). 2 OF 3 REPLACE WITH NEW LINE MATCH EXISTING
30. EXISTING STRUCTURE DASHED BEYOND
31. EXISTING CONCRETE STRUCTURE PATCH - REPAIR - CHEMICALLY REMOVE PAINT - SEAL TO MATCH ADJACENT - APPROVED SAMPLE TYPICAL
32. NEW STEEL BUCKET WINDOW / VOLUME IN DEPTH TYPE 2. AT (1) EXISTING DOOR LOCATION. DEMO EXISTING DOOR - FRAME - STAIR ASSEMBLY ADD MASONRY INFILL AT OPENING - PROVIDE WATERPROOFING / DAMP PROOFING BACKFILL STAIR LOCATION. REPLACE BRICK VENEER TO TO 6" AROUND ADJACENT GRADE AS REQUIRED.
33. REMOVE (2) WOOD BROWN ROOF CANOPIES AT DOOR LOCATIONS. PATCH - REPAIR BRICK TO MATCH ADJACENT
34. EXISTING WINDOWS TYPE 2. REHABILITATE AS REQUIRED. RE-GLAZE AS REQUIRED - VERIFY OPERABILITY - LOCKABILITY TO MATCH ADJACENT / APPROVED SAMPLE / CHEMICAL STRIP CLEAN VITROUS FRAME TYPICAL
35. NEW WALL MOUNT LIGHTS. REFER TO LIGHTING SHEETS. VERIFY LOCATION WITH ARCHITECT ON FIELD
36. NEW STEEL CUTTER. AT NEW STEEL BUILDING ADDITION - EXISTING STRUCTURE
37. NEW STEEL SPLASH BOX
38. SPRINKLER NOZZLE BEYOND
39. NEW STEEL PLATE GATES
40. NEW ADDITION - MASONRY WALL 8'-0" HIGH
41. NEW ADDITION - METAL PANEL SIDING
42. EXISTING MASONRY BUILDING. TO BE PAINTED GRAY TYPICAL
43. NEW INFILL / MASONRY AT EXISTING TO BE PAINTED GRAY
44. NEW OPENING STRUCTURAL STEEL LUNTEL / PIVOT DOORS IN STEEL BUCKET FRAME / STEEL BUCKET WINDOWS / SECURITY GATE
45. NEW STEEL PLATE ROOF CUTTER / SCUPPER / DOWNSPOUT AS REQUIRED
46. EXISTING BASEMENT WINDOW PROVIDE MASONRY INFILL. WATER PROOFING TYPICAL
47. EXISTING OPENING TO BE INFILLED WITH STEEL STUD WALL FRAMING / GYPSUM BOARD / METAL PANEL EXTERIOR SIDING
48. CAST IN PLACE CONCRETE RAMP / STAIR
49. EXISTING CANTILEVERED CANOPY STEEL FRAME / METAL ROOFING PANEL
50. NEW LANDSCAPE AREA - SEE LANDSCAPE SHEETS
51. EXISTING ROOF DRAIN - DOWNSPOUTS TO REMAIN. TO BE PAINTED GRAY TYPICAL
52. EXISTING ELECTRICAL CABINETS TO REMAIN. TO BE PAINTED GRAY TYPICAL
53. EXISTING CONCRETE WALL TO REMAIN. TO BE PAINTED GRAY TYPICAL
54. EXISTING STEEL STAIR TO REMAIN. TO BE PAINTED GRAY TYPICAL
55. EXISTING CANOPY STRUCTURE TO REMAIN. TO BE PAINTED GRAY TYPICAL
56. EXISTING WALKWAY - DOOR - SEE DOOR SCHEDULE. PAINT GRAY TYPICAL
57. EXISTING ROLL-UP DOOR. SEE DOOR SCHEDULE. PAINT GRAY TYPICAL
58. EXISTING STEEL STAIR TO BE REMOVED
59. NEW DRIVEWAY ENTRANCE WITH SIDEWALK ATTACHED TO CURB
60. NEW ACCESSIBLE RAMP TO ENTRY
61. NEW ACCESSIBLE RAMP EDGE STOP
62. NEW ACCESSIBLE RAMP HANDRAIL



VICINITY MAP

ksport

254 west broadway
mesa, arizona 85281

SEPTEMBER 09 2015
© copyright 2015

14147

debartoloarchitects



4450 north 12th street
number 268
phoenix, arizona 85014
tel 602.264.6617
jack3@debartoloarchitects.com




SHEET SCALE: 1/8" = 1'-0"

WEST ELEVATIONS


A5.7




1 2 3 4 5 6



7 8 9 10



11 12 13 14 15 16



ksport

254 west broadway
mesa, arizona 85281

SEPTEMBER 09 2015
© copyright 2015
14147


debartoloarchitects

4450 north 12th street
number 208
phoenix, arizona 85014
tel 602 264 6617
jack.3@debartoloarchitects.com

SHEET SCALE HTS

ELEVATION PHOTOS

A5.8




1 PROPOSED SOUTH ELEVATION
1/16" = 1'-0"

ksport

254 west broadway
mesa, arizona 85201
SEPTEMBER 09 2015
© copyright 2015
14147

debartoloarchitects
4450 north 12th street
number 208
phoenix, arizona 85014
tel 602.264.6617
jack3@debartoloarchitects.com




2 EXISTING SOUTH ELEVATION
1/16" = 1'-0"

SHEET SCALE: 1/16" = 1'-0"
PROPOSED + EXISTING
SOUTH ELEVATION

A5.9



VICINITY MAP




1 PROPOSED WEST ELEVATION
1/16" = 1'-0"

ksport

254 west broadway
mesa, arizona 85201
SEPTEMBER 09 2015
© copyright 2015
14147

debartoloarchitects
4450 north 12th street
number 268
phoenix, arizona 85014
tel 602.264.6617
jack3@debartoloarchitects.com



2 EXISTING WEST ELEVATION
1/16" = 1'-0"

SHEET SCALE: 1/16" = 1'-0"
WEST ELEVATION
PROPOSED + EXISTING

A5.10