



RD

CORPORATE:

Z & H FOODS, INC.

3100 MAIN STREET #301 DALLAS, TEXAS 75226

ZNHFOODSINC.COM

0 0 0 0 0 **POP POW**5329 S POV
MESA, ARIZ

INT: Z & H FOODS, INC. 3100 MAIN STREET #301 DALLAS, TEXAS 75226



DATE DESCRIPTION

SOUTH ELEVATION 1/4"=1'-0" DATE DESCRIPTION --- COLORS OWN BUFF

--- COLORS

LEFT & RIGHT **ELEVATIONS** 

SHEET NUMBER:

-SCORED LINE (TYP) SCORED LINE (TYP) TOP OF PARAPET 21'-10" AFF SPEAKER E.I.F.S. TRIM E.I.F.S. TRIM PAINTED. PAINTED. \\_\_\_\_\_(C-1) EP-6 FINISHED FLOOR
0'-0" AFF. - BLACK MASTIC SEALANT CONT. TYP. AT ENTIRE EP-9 ANTI-GRAFFITI - T0 9'-4" A.F.F. (ENTIRE BUILDING) PERIMETER OF BUILDING BASE

TION 8A: ALUMINUM ENTRANCE, STOREFRONT

E: FURNISH AND INSTALL THE ALUMINUM ENTRANCE AND STOREFRONT SYSTEMS PER )NAL ACCOUNTS AND APPLICABLE DRAWINGS.

UMINUM STOREFRONT AND ENTRANCE FRAMES: REFER TO CONSTRUCTION DRAWINGS AND IFICATIONS. .UMINUM ENTRANCE DOORS: REFER TO CONSTRUCTION DRAWINGS AND SPECIFICATIONS.

NIC HARDWARE: WHEN PANIC HARDWARE IS REQUIRED ON EXTERIOR DOORS. 'ANIC DEVICE IS ON EXTERIOR ENTRY DOORS WHEN SPECIFIED IN HARDWARE SCHEDULE. RIVE-THRU SERVICE WINDOW: THE DRIVE-THRU SERVICE WINDOW WILL BE LIED & INSTALLED BY G.C. VERIFY EXACT TYPE OF WINDOW WITH PLANS.

ZE FINISH.

BASE BID - 'QUICK SERV' M.C.E. WINDOW FLUSH MOUNT. OPTION (VERIFY WITH OWNER) - READY ACCESS SCELLANEOUS FLASHING/TRIM: ALUMINUM HEAD, SILL, COLUMN AND WALL TRIM. SEE

RIOR ELEVATIONS FOR FINISH.

STALLATION: INSTALL IN ACCORDANCE WITH MANUFACTURER'S RUCTION. PLACE IN CORRECT LOCATION AS SHOWN IN THE DETAILS. LEVEL, SQUARE, AND B AT PROPER ELEVATIONS AND IN ALIGNMENT WITH OTHER WORK. MAINTAIN SPACE IN POCKET FOR 1/4" HEAD DEFLECTION. INSURE FRAMING PROFILES MEET INSTALLATION IREMENTS OF GLAZING UNITS TO MAINTAIN WARRANTY. SEE SECTION 8-D: GLAZING.

## SECTION 8D: GLAZING

1. SCOPE: FURNISH AND INSTALL GLASS IN STOREFRONT AND DRIVE-THRU SERVICE WINDOW. 2. QUALITY CONTROL: ALL GLASS BROKEN DURING INSTALLATION OR DURING CONSTRUCTION PRIOR TO FINAL DELIVERY OF THE BUILDING TO THE OWNER SHALL BE REPLACED AT NO ADDITIONAL EXPENSE TO THE OWNER. GLASS SHOULD BE DELIVERED WITH LABELS PROMINENTLY DISPLAYED AND THEY SHALL BE LEFT IN PLACE UNTIL THE OWNER'S REPRESENTATIVE INSPECTS IT.

MATERIALS 1. STOREFRONT GLAZING - REFER TO CONSTRUCTION DRAWINGS AND NOTES.

1. INSTALLATION: INSTALL GLAZING WITH MANUFACTURER'S INSTRUCTIONS TO PROVIDE COMPLIANCE WITH LOCAL CODE REQUIREMENTS INCLUDING WIND RESISTANCE, 25 PSF MIN., SNOW LOAD, 20 PSF MIN. GLAZING PANELS SHALL BE INSTALLED.

ULTRA VIOLET DEGRADATION LEVELS ARE TO MEET MANUFACTURER'S REQUIREMENTS TO VALIDATE MATERIALS REPLACEMENT WARRANTY.

2. ALLOW FOR 1/4" MINIMUM HEAD DEFLECTION DUE TO LIVE LOAD.

3. GUARANTEES AND WARRANTIES: AT THE COMPLETION OF THE GLAZING, PROVE THE INSTALLATION WATERTIGHT BY SPRAYING ALL JOINTS WITH A GARDEN HOSE WITH NOZZLE SET FOR MAXIMUM PRESSURE. PROVIDE ADDITIONAL CAULKING OR SEALANT, OR RESET GLASS AS NECESSARY TO EFFECT A WATERTIGHT JOB.

POPEYES LUISIANA KITCHEN  New Construction and Reimaging				Update: 5/3/2012			EXTERIOR FINISH NOTES	
							STUCCO WALL TEXTURE FINISH	COL
Mark	Location	Supplier / Manuf.	Material	Specification	Color	Finish / Notes	Manuf. Texture	CHESTERTOWN BUFF
EP-1	MAIN WALL SURFACE ABOVE ACCENT TRIM	BENJAMIN MOORE	PAINT / EIFS FORMULA	#HC-9	CHESTERTOWN BUFF	185	Ī   <sub></sub>	MOCHA BROWN
EP-2	WALL SURFACE ACCENT		EIFS / METAL / PAINT	#1224	COYOTE TRAIL	185		COYOTE TRAIL
EP-3	SERVICE DOOR PAINT		EIFS / METAL / PAINT	#1224	COYOTE TRAIL	185		
EP-4	SHUTTERS	SHUTTERCONTRACTOR.COM	14 1/2"x60" VINYL SHUTTERS (Balcony)	L2-VINYL	UNFINISHED	030-PAINTABLE		
			25 1/2"x119" VINYL SHUTTERS (Balcony)	L7S-VINYL	UNFINISHED	030-PAINTABLE		
		BENJAMIN MOORE	PAINT	#1126	BAKED PRETZEL	P-29 DTM MATTE	FINISH NOTES	COI
EP-5	CANOPY AND RAILINGS	RAILING VENDOR / TIGER DRYLAC	METAL / POWDER COAT	#1126	BAKED PRETZEL	P-29 DTM MATTE	THE FOLLOWING COMPONENTS CAN BE PURCHASED FROM THE APPROVED SIGN VENDORS:	CHESTERTOWN BUFF
EP-5		RAILING VENDOR / BENJAMIN MOORE	METAL / PAINT	#1126	BAKED PRETZEL	P-29 DTM MATTE		COYOTE TRAIL
(ALT)							* STANDING SEAM ROOF	MOCHA BROWN
EP-6	STORE FRONT GLAZING	YKK AP	ANODIZED ALUMINUM	#YB5N	DARK BRONZE	21-28 DAYS	* BALCONY RAILING	
EP-7	DUMPSTER WALLS / GATES	BENJAMIN MOORE	METAL / PAINT	#2107-20	MOCHA BROWN	185 Low Luster	* CLEARANCE BAR	
EP-8	BOLLARDS / LOT STRIPING		METAL / ASPHALT / PAINT		EP-1	P58-10	* MENU CANOPY	
SW-1	STONE WAINSCOAT	CORONADO STONE	SIMULATED STONE VENEER	CASCADE	FOUR RIVERS	OVERLAPPING	* GUARD RAIL	
SG-1		QUIKRETE	STONE VENEER MORTAR	POLYMER MODIFIED	MOCHA BROWN	1137-85	* AWNINGS	
G-1	AWNING GRATE (OPT.)	AWNING SUPPLIER	METAL / POWDER COAT	RAL 8024	BAKED PRETZEL	SMOOTH	* SHUTTERS	
C-1	STANDING SEAM CANOPY	COPPER SALES, INC.	UNA-CLAD	UC-4 ALUMINUM	BAKED PRETZEL	12" OC / GUAGE PER LOCAL CODE REQUIREMENTS		
EP-9	ANTI-GRAFFITI	BENJAMIN MOORE	PAINT	ALIPHATIC ACRYLIC URETHANE	CLEAR GLOSS	M74-00 / M75 (2 COATS)		