

SYCAMORE STATION

SMART GROWTH COMMUNITY PLAN

Dobson and Main

Mesa, Arizona



miravista
holdings

AYERS
SAINT
GROSS

August 22, 2016



TABLE OF CONTENTS

General Overview.....5

Goals And Objectives.....7

Pedestrian Shed.....8

Site Overview.....11

Existing Uses.....12

Proposed Parcel Transect Zones.....13

Parcel Overview.....15

 Parcel A1.....16

 Parcel A2.....18

 Parcel B1.....20

 Parcel B2.....22

 Parcel C1.....24

 Parcel D1.....26

 Parcel D2.....28

Village Specifications.....30

Civic Spaces.....32

Thoroughfares.....34

Pedestrian Thoroughfares.....36


Termination Vistas.....37

Transect Zones.....38

Parking.....40

Main Street42


References.....44





GENERAL OVERVIEW

The accompanying proposal seeks to rezone numerous parcels at the NE corner of Main Street and Dobson Road into one Smart Growth Community Plan. Approximately 20 acres are proposed to rezone from C-3 General Commercial and C-2 Limited Commercial to the Form Based Code. Following is a narrative that identifies the key components of the plan as structured by the Mesa Zoning Ordinance.

Smart Growth Community Plan (SGCP) Application
Per 11-56-4.C, our property lies outside of the adopted FBC Mapped Area and is a Non-transect zone seeking to be rezoned to a series of Transect Zones. This will require the application of the Smart Growth Community Plan standards (Ch 63) as the parcels seeking rezoning total more than 10 acres.





GOALS AND OBJECTIVES

Goals and Objectives

- A. Improve the built environment and human habitat.
 - Currently the site serves as a large under-utilized surface parking lot. The eastern portion of the lot previously served as the Metro transit station and parking area for the “end of the line” light rail station located immediately south on Main Street. That station no longer carries that status thus the majority of the parking and its transit function are not required. Combining those transit parcels with the adjacent underutilized parking lot parcels will allow for a mixed-use community plan which will improve the current use and habitat of the site.
- B. Promote safe, effective multi-modal transportation options minimizing vehicular traffic.
 - The proposed layout seeks to create a network of appropriately sized thoroughfares, pedestrian paths and dense development that will increase walkability and circulation through the site. The proximity to the light rail and transit stops will promote mass transit. The break-up of the larger parcels into smaller blocks will provide an appropriate scale to these circulation patterns eliminating super blocks.
- C. Provide neighborhoods with a variety of housing types.
 - Rental and for-sale housing of various sizes and densities will be provided within the Plan.
 - Senior living will not only increase the population density but also add diversity to the demographic of the Plan.
- D. Remove barriers and provide incentives for walkable urban projects.
 - The Plan provides multiple walkable options for its residents and visitors by adding density to the site and linking each of the parcels into one accessible plan.
- E. Promote the greater health benefits of a pedestrian-oriented environment.
 - Besides pedestrian thoroughfares, ample private and public (civic) open space is provided to promote the well-being of its residents.
- F. Reinforce the character and quality of downtown and adjacent neighborhoods.
 - Being the first SGCP, it is important to establish a trend for density which is established along Main. The density then decreases as it moves north towards the single family parcels. Building Form along Main and Sycamore will be developed to create a strong street edge lending identity to those important street frontages.
- G. Reduce sprawling, auto-dependent development.
 - This will be achieved through the increased density within the site, the ability to walk to local services and retail, and through the immediate access to mass transit systems including light rail and bus transit stops.
- H. Protect and enhance real property values.
 - The intensity of this development coupled with the quality of its design and construction will create a destination residential location that will increase property values throughout the area.
- I. Reinforce the local Mesa context, climate and history.
 - The SGCP will reflect all of the standards, goals and objectives as stated in the zoning ordinance. Climate awareness and sustainability will be foundation components of the SGCP and its eventual future construction.

PEDESTRIAN SHED

Pedestrian sheds are useful in planning as they provide an understanding of how far a typical pedestrian might be willing to walk. They are based on the understanding that most people are willing to walk up to five minutes before they will choose to drive and up to ten minutes to a major destination or transit stop. SGCPs use pedestrian sheds to define the boundaries and the relationship of development patterns to create walkable environments.

Pedestrian Sheds shall be centered on a Neighborhood Center.

TYPE

Standard Pedestrian Shed:

A shed that is based on a one-quarter mile radius around a node.


MAXIMUM SIZE

Individual standard pedestrian sheds shall be no more than 160 acres.

REMNANTS

Remnant areas outside of a pedestrian shed shall be assigned transect zones, civic spaces, or special districts; and if the remnant areas assigned as T3, T4, and T5 transect zones exceed 35 acres, an additional pedestrian shed shall be created to encompass these remnant areas.

THEORETICAL PEDESTRIAN SHED



ESTABLISHED STANDARD SHED FOR SYCAMORE STATION







SITE OVERVIEW

Currently the areas surrounding the site include a few larger retail centers, smaller freestanding stores and single family residences.

In the future, those parcels could be redeveloped to fulfill the requirements of the Form Based Code and the Smart Growth Community Plan.



EXISTING USES



PROPOSED PARCEL TRANSECT ZONES

On the left:
The existing parcels around the site are highlighted to show the type of uses around the proposed site.

On the right:
The parcels are labeled with their projected uses in accordance with the Smart Growth Community Plan (SGCP).

Parcels highlighted in orange are proposed residential parcels while yellow represents the proposed mixed use parcels.

MAIN STREET





PARCEL OVERVIEW

- A1** MID-RISE BUILDING TYPE
300-400 units, 50 units / acre, 55' Building Height in combination with A2
- A2** MID-RISE BUILDING TYPE
300-400 units, 50 units / acre, 85' Building Height in combination with A1
- B1** MAIN STREET MIXED USE, TOWNHOUSE, COURTYARD BUILDING TYPE
3 stories, 35-50 units, 15-20 units / acre, 40' Building Height
- B2** TOWNHOUSE, COURTYARD BUILDING TYPE
3 stories, 30-35 units, 10-15 units / acre, 40' Building Height
- C** COMMUNITY PARKING FACILITY, GROUND FLOOR COMMERCIAL / RETAIL / BUILDING TYPE
3 stories, 350 parking spaces. 45' Building Height
- D1** SENIOR LIVING – MID-RISE BUILDING TYPE
3-5 level, 125-200 units, 55' Building Height Max.
- D2** EXTENDED CARE, EDUCATION USE - MID-RISE BUILDING TYPE
1-2 level, 40' Building Height



PARCEL A1

T5MSF Transect

PARCEL OVERVIEW

T5MSF Transect – A1- Allows for desired density, increased allowable height. Allows for flexibility on ground plane as additional commercial and retail in this area will be difficult at early stages of development.

GOAL

To provide a flexible area that can transition from the commercial district to residential district by allowing a mixture of ground floor uses including live/work and ground floor residential that could transition to commercial space when the commercial corridor matures.

Designers should aim to:

- Limit the use of stucco and encourage the use of multiple materials
- Use operable windows in residences
- Implement shading through landscape or building elements
- Adhere to low parking requirements so as to promote walkability
- Break up building form so as to not create a singular stretch of a wall



The Fitzgerald, University of Baltimore / The Bozzuto Group



Building Form Example- Light Blue

FRONTAGE TYPE



BUILDING TYPE:	BUILDING HEIGHT:	PARKING:
Mid-Rise	55' max.	Residential Uses: No minimum, 1/unit max.
PARCEL SIZE:	FRONTAGE TYPE:	BUILDING INFORMATION:
2.03 acres net 3.01 acres gross	Stoop, Forecourt, Dooryard, Arcade, Gallery, Shopfront, Terrace	5 Stories 300-400 units (with A2) 50 units / acre

MISCELLANEOUS:



A building form with a chamfered corner is permitted if a corner entry is provided.

Any street facade wider than 100' shall break up the facade and interrupt the pattern.

Off-site parking within 600' may be used to meet parking requirements for Residential uses.

Off-site parking within 1200' may be used to meet parking requirements for non-Residential uses.

Within 20' of the rear property line, buildings may not be more than halfstory taller than allowed height of adjacent building.



- A** Front Setback: 0' min.; 10' max.
- B** Side Street Setback: 0' min.; 10' max.
- C** Side Setback: 0'
- D** Rear Setback: 0'
- E** Main Building: 55' High
- F** Ground Floor Finish Level: 0'-18"
- G** Ground Floor Ceiling: Commercial: 14' from street grade
Residential: 10' living areas
9' service areas
- H** Upper Floor Ceiling: 9' living areas, 8' service areas
- I** Depth. Ground-Floor Space: Commercial: 20' min.,
Residential: 30' min.

To promote architectural articulation and uniqueness variations of the standard up to 25% may be granted through the City of Mesa design review process

PARCEL A2

T5MS Transect

PARCEL OVERVIEW

T5MS Transect – A2 - Allows for desired density, increased allowable height. Submittal requests this transect to meet COM long-term goals and uses for lots adjacent to stations and Main Street. Understanding the difficulty in leasing retail now however, this submittal requests that ground floor residential and residential support spaces be allowed until retail is viable.

GOAL

To integrate medium intensity vertical mixed use that can appropriately transition into the adjacent neighborhoods in central Mesa, near transit stops, or other pedestrian oriented urban areas.

Designers should aim to:

- Limit the use of stucco and encourage the use of multiple materials
- Use large windows to create transparency along storefronts and use operable windows in residences
- Implement shading through landscape or building elements
- Adhere to low parking requirements so as to promote walkability
- Break up building form so as to not create a singular stretch of a wall



Potrero 1010, David Baker Architects





Building Form Example- Light Blue

FRONTAGE TYPE



BUILDING TYPE:	BUILDING HEIGHT:	PARKING:
Mid-Rise	85' max.	Residential Uses: No minimum, 1/unit max.
PARCEL SIZE:	FRONTAGE TYPE:	BUILDING INFORMATION:
2.66 acres net 3.42 acres gross	Forecourt, Dooryard, Shopfront, Terrace, Gallery, Arcade	5 Stories 300-400 units (with A1) 50 units / acre
MISCELLANEOUS:		

On corner lots, the BTL must be defined by a building for the first 50' from the corner.
Any street facade wider than 100' shall break up the facade and interrupt the pattern.
Within 20' of the rear property line, buildings may not be more than halfstory taller than allowed height of adjacent building.



- A** Front Setback: 0' min.; 15' max.
- B** Side Street Setback: 0' min.; 10' max.
- C** Side Setback: 0' min.; 10' max.
- D** Rear Setback: 0'
- E** Main Building: 85' High
- F** Ground Floor Finish Level: 6" max.
- G** Ground Floor Ceiling: 14' min.
- H** Upper Floor Ceiling: 9' living areas, 8' service areas
- I** Depth. Ground-Floor Space: Front: 50' min.
Side Street: 30' min.

PARCEL B1

T4NF Transect

PARCEL OVERVIEW

T4NF Transect – Allows for decreased density and massing transition from Parcel A to school and neighborhoods to the north. Aids required transect % standards. Greater housing flexibility allows town home and apartment product.

GOAL

To provide a flexible area that can accommodate smaller, neighborhood serving commercial uses in a main street form that allows for interim uses such as live/work and ground floor residential until the commercial corridor matures.

Designers should aim to:

- Limit the use of stucco and encourage the use of multiple materials
- Use operable windows in residences
- Break up building form so as to show the separate units

Two building types exist on this parcel with no more than 60% of one type.



35 Wabash Avenue, RAW Design Studio + Zinc Developments



Building Form Example- Darker Turquoise



FRONTAGE TYPE



BUILDING TYPE: Main Street Mixed Use, Townhouse, Courtyard Building	BUILDING HEIGHT: 40'-52'	PARKING: Residential Uses: 2 per unit max, per parcel and on-street
PARCEL SIZE: 1.45 acres net 2.46 acres gross	FRONTAGE TYPE: Porch: Projecting, Porch: Engaged, Stoop, Forecourt, Gallery, Arcade, Dooryard	BUILDING INFORMATION: 3 Stories 45 units 15-20 units / acre

MISCELLANEOUS:

On corner lots, the BTL must be defined by a building for the first 30' from the corner.
 A building form with a chamfered corner is permitted only if a corner entry is provided.
 Any street facade wider than 75' shall be broken up to interrupt the pattern.
 Within 20' of the rear property line, buildings may not be more than halfstory taller than allowed height of adjacent building.



- A** Front Setback: 0' min.; 15' max.
- B** Side Street Setback: 0' min.; 15' max.
- C** Side Setback: 0'
- D** Rear Setback: 0'
- E** Main Building: 3 Stories, 40' High
- F** Ground Floor Finish Level: 0'-18"
- G** Ground Floor Ceiling: 10' living areas, 9' service areas
- H** Upper Floor Ceiling: 9' living areas, 8' service areas
- I** Depth. Ground-Floor Space: 20' min.

PARCEL B2

T4N Transect

PARCEL OVERVIEW

T4N Transect – Allows for decreased density and massing transition from Parcel B1 to school and neighborhoods to the north. Aids required transect % standards. Greater housing flexibility allows town home and apartment product.

Sycamore serves as a transition thoroughfare, where single family homes to the East will transition to 3 story small scale residences buffering the higher density and commercial uses to the South and West.

GOAL

To provide high quality, medium residential building types such as townhouses, small courtyard housing, mansion apartments, duplexes, or fourplexes within walking distance to transit and commercial amenities.

Designers should aim to:

- Limit the use of stucco and encourage the use of multiple materials
- Use operable windows in residences
- Break up building form so as to show the separate units.

Two building types exist on this parcel with no more than 60% of one type.





DEC 100 Housing, Urban Platform



Building Form Example- Light Turquoise



BUILDING TYPE: Main Street Mixed Use, Townhouse, Courtyard Building	BUILDING HEIGHT: 40' max.	PARKING: Residential Uses: 2 per unit max, per parcel and on-street
PARCEL SIZE: 1.09 acres net 2.93 acres gross	FRONTAGE TYPE: Porch: Engaged, Porch: Projecting, Forecourt, Dooryard, Stoop	BUILDING INFORMATION: 3 Stories 32units 10-20 units / acre
MISCELLANEOUS: No side setback required along the common property line between townhouse and/or duplex building types.		



- A** Front Setback: 10' min., 15' max.
- B** Side Street Setback: 5' min.; 10' max.
- C** Side Setback: 5'
- D** Rear Setback: 5'
- E** Main Building: 40' High
- F** Ground Floor Finish Level: 0"-18"
- G** Ground Floor Ceiling: 10' living areas, 9' service areas
- H** Upper Floor Ceiling: 9' living areas, 8' service areas

PARCEL C1

T5MSF Transect

PARCEL OVERVIEW

T5MSF – Allows for community parking facility, greater flexibility for potential ground floor uses.

GOAL


To fulfill need for commercial parking to be handled as a part of a Downtown Commercial District.

Designers should aim to:

- Reduce light pollution through materiality and structure
- Provide pedestrian walkways on the ground level so as develop direct routes through the village
- Provide covered locations for secured bike parking
- Appropriately locate accessible spaces to support a variety of uses -park and ride, senior housing, civic space



Roy Kelly Multimodal Terminal and Parking Garage, Powers Brown Architecture



Building Form Example- Grey

FRONTAGE TYPE




BUILDING TYPE:	BUILDING HEIGHT:	PARKING:
Community Parking Facility, Ground Floor Commercial / Retail	45' max.	Retail and Service Uses: 2/1,000sf min.
PARCEL SIZE:	FRONTAGE TYPE:	BUILDING INFORMATION:
1.22 acres net 2.46 acres gross	Screened Garage, Arcade, Gallery, Shopfront	3 Stories 350 parking spaces Includes area for community civic space.


MISCELLANEOUS:

Garage frontages shall include a level of architectural screening that permits an open air structure, limits light pollution, and screens cars from pedestrian view.

Architectural termination points shall be strategically placed to align with pedestrian and vehicular axes.



Refer to page 36 for information on Pedestrian Thoroughfares



- A** Front Setback: 0' min.; 10' max.
- B** Side Street Setback: 0' min.; 10 max.
- C** Side Setback: 0'
- D** Rear Setback: 5'
- E** Main Building: 45' High, 55' Max.
- F** Ground Floor Finish Level: 0"
- G** Ground Floor Ceiling: 9' clearance-garage, 14' min.- commercial
- H** Upper Floor Ceiling: 6'-6" clearance-garage 9' min.- commercial
- I** Depth. Ground-Floor Space: 30' min.- commercial

To promote architectural articulation and uniqueness variations of the standard up to 25% may be granted through the City of Mesa design review process

PARCEL D1

T5N Transect

PARCEL OVERVIEW

T5N Transect – Allows multi-family housing, group home, and lodging use with increased height and density.

GOAL

To provide a medium-to-high density residential building types such as apartment houses, courtyard buildings, and mid-rise buildings that transition from lower density surrounding residential neighborhoods to the higher density mixed-use neighborhoods.

Designers should aim to:

- Limit the use of stucco and encourage the use of multiple materials
- Use operable windows in residences
- Break up building form so as to show the separate units

Garage must be entirely screened from streets.




Hotel Healdsburg, David Baker Architects




Building Form Example- Orange

FRONTAGE TYPE



BUILDING TYPE: Mid-Rise	BUILDING HEIGHT: 55' High	PARKING: Residential Uses: No minimum, 1/unit max.
PARCEL SIZE: 4.09 acres gross 2.72 acres net	FRONTAGE TYPE: Stoop, Forecourt, Dooryard	BUILDING INFORMATION: 4 Stories 125-200 units 200 parking spaces

MISCELLANEOUS:
 On corner lots, the BTL must be defined by a building for the first 50' from the corner.
 Within 20' of the rear property line, buildings may not be more than halfstory taller than allowed height of adjacent building.



PARCEL D2

T4NF Transect

PARCEL OVERVIEW

T4NF – Allows for uses that can be paired with the senior living / lodging facility while reducing scale and density of the parcel. Also allows for education use with permit if the adjacent school expanded.

GOAL

To provide a medium-to-high density residential building types such as apartment houses, courtyard buildings, and mid-rise buildings that transition from lower density surrounding residential neighborhoods to the higher density mixed-use neighborhoods.

Designers should aim to:

- Limit the use of stucco and encourage the use of multiple materials
- Use operable windows in residences
- Break up building form so as to show the separate units



Onizuka Crossing Family Housing, David Baker Architects



Building Form Example - Orange

FRONTAGE TYPE





BUILDING TYPE:	BUILDING HEIGHT:	PARKING:
Mid-Rise	40' High	Residential: 1 per unit max. Ancillary: 1/1000sf min.
PARCEL SIZE:	FRONTAGE TYPE:	BUILDING INFORMATION:
0.73 acres gross 1.47 acres net	Porch: Projecting, Porch: Engaged, Stoop, Forecourt, Shopfront, Gallery, Arcade, Dooryard	1-2 Stories

MISCELLANEOUS:

No parking spaces required for the first 2,000sf of residential use or for affordable or senior housing units.

On corner lots, the BTL must be defined by a building for the first 30' from the corner.

Within 20' of the rear property line, buildings may not be more than halfstory taller than allowed height of adjacent building.



- A** Front Setback: 0' min.; 15' max.
- B** Side Street Setback: 0' min.; 15' max.
- C** Side Setback: 0'
- D** Rear Setback: 50' max.
- E** Main Building: 40' High
- F** Ground Floor Finish Level: 0'-18"
- G** Ground Floor Ceiling: 10' living areas, 9' service areas
- H** Upper Floor Ceiling: 9' living areas, 8' service areas
- I** Depth. Ground-Floor Space: 20' min.

VILLAGE SPECIFICATIONS





CIVIC SPACES


Civic buildings and civic spaces provide important gathering places for communities and access to outdoor activities, they should be carefully located within the pedestrian shed and accessible to all.

NEIGHBORHOOD SQUARE + PLAYGROUND

An open space available for civic purposes, unstructured and limited amounts of structured recreation.

Playground is within 1500 ft. of all residential areas.



Size: 20,000 gsf.



PLAZA

A formal open space available for civic purposes and commercial activities. Plazas are typically hardscaped. Commercial activities shall be subordinate to Civic use.

Size: 3,000 gsf.



The purpose of civic spaces is to populate the transect zones with a diverse palette of parks and other publicly accessible civic spaces, publicly or privately owned, that are essential components of walkable urban environments.

Civic Space Required: 5%



Civic Space Proposed: 7.2%, 37,000 gsf

POCKET PARK

An open space available for informal activities in close proximity to neighborhood residences.

There are 3 pocket parks.

Size: 14,000 gsf. total





GREENWAY (MODIFIED)

A linear open space that may follow natural corridors providing unstructured and limited amounts of structured recreation.

Sycamore St. behaves as a modified greenway by allowing for same activities while being less than a mile long.

Not included in civic space calculation.




THOROUGHFARES

A thoroughfare network established to provide a variety of pedestrian and vehicular circulation experiences, define the public streets and redefine pedestrian sheds into walkable environments. Each thoroughfare was designed to anticipate the expected circulation demand while addressing the type of pedestrian environment required. The thoroughfares shown on the site plan are intended to convey the intent of the various street / parking / pedestrian conditions.

THOROUGHFARE ASSEMBLY CS-100-60

Thoroughfare CS-100-60 only exists on the plan as indicated in the code.



APPLICATION:
Transect Zones:
T4MS, TSMSF, TSMS
Movement Type: Slow
Design Speed: 20 mph.

OVERALL WIDTHS

- A** Right-of-Way Width: 100'
- B** Pavement Width: 60'

LANE ASSEMBLY


- C** Traffic Lanes: 2@ 12'
Bicycle Lanes: None
- D** Parking Lanes: 2 @ 18' marked
Medians: None

PUBLIC FRONTAGE ASSEMBLY

- Frontage Type: Commercial Street
- Drainage Collection Type: Curb & Gutter
- Planter Type: 4'x4' Tree Well
- Landscape Type: Trees at 30' o.c. avg.
- Lighting Type: Post, Column, or Double Column
- E** Walkway Type: 20' Sidewalk
Curb Type: Square

THOROUGHFARE ASSEMBLY CS-60-34 _{A,B}

Thoroughfare CS-60-34 exists on the plan both as indicated in the code and with modifications.



APPLICATION:
Transect Zones:
T4MS, TSMSF, TSMS
Movement Type: Slow
Design Speed: 25 mph.

OVERALL WIDTHS

- A** Right-of-Way Width: 60', 53'_A, 50'_B
- B** Pavement Width: 34', 27'_A, 40'_B

LANE ASSEMBLY

- C** Traffic Lanes: 2@ 10'
Bicycle Lanes: None
- D** Parking Lanes: 2 @ 7' marked, 1 @ 7'_A, 1 @ 20'_B
Medians: None

PUBLIC FRONTAGE ASSEMBLY


- Frontage Type: Commercial Street
- Drainage Collection Type: Curb & Gutter
- Planter Type: 4'x4' Tree Well
- Landscape Type: Trees at 30' o.c. avg.
- Lighting Type: Post, Column
- E** Walkway Type: 13' Sidewalk, 5' Sidewalk_B
Curb Type: Square

A, B: Indicates where dimensions were altered for modified streets



THOROUGHFARE ASSEMBLY ST-40-26 A, B

Thoroughfare ST-40-26 only exists on the plan with modifications listed below.



APPLICATION:

Transect Zones:

T3N, T4N, T4NF

Movement Type: Yield

Design Speed: <20 mph.

OVERALL WIDTHS

- A** Right-of-Way Width: 44'_A, 37'_B
- B** Pavement Width: 34'_A, 27'_B

LANE ASSEMBLY

- C** Traffic Lanes: 1@ 20'_{A,B}
- Bicycle Lanes: None
- D** Parking Lanes: 2@ 7' marked, 1 @ 7'_B
- Medians: None

PUBLIC FRONTAGE ASSEMBLY

Frontage Type: Street

Drainage Collection Type: Gutter or Sheet Flow

Planter Type: 6' x 6' planter at 50' o.c.

Landscape Type: Trees at 50' o.c. avg.


Lighting Type: Post or Column

- E** Walkway Type: 5' Sidewalk_{A,B}
- Curb Type: Rolled or flush

A,B: Indicates where dimensions were altered for modified streets

THOROUGHFARE ASSEMBLY RL-20-12 A

Thoroughfare RL-20-12 only exists on the plan with modifications listed below.



APPLICATION:

Transect Zones:

T3N, T4N, T4NF

Movement Type: Yield

Design Speed: <20 mph.

OVERALL WIDTHS

- Right-of-Way Width: 30'_A
- Pavement Width: 20'_A

LANE ASSEMBLY

- Traffic Lanes: 1@ 12'
- Bicycle Lanes: None
- Parking Lanes: None
- Medians: None

PUBLIC FRONTAGE ASSEMBLY

Frontage Type: Rear Lane

Drainage Collection Type: Gutter or Sheet Flow

Planter Type: None

Landscape Type: None

Lighting Type: Pipe or Post (if provided)

Walkway Type: None

Curb Type: Rolled or flush

A: Indicates where dimensions were altered for modified streets

PEDESTRIAN THOROUGHFARES

The purpose of these thoroughfares is to provide standards for the application of Form-Based Code standards to reinforce walkable urban neighborhoods or create new walkable urban neighborhoods within the City of Mesa. Pedestrian thoroughfares allow for residents and visitors to comfortably access the parcels throughout the village. These walkways are additionally the preferred location for any underground public utilities.


UNENCLOSED

ENCLOSED

Exterior pedestrian walkways allow for residents and visitors to walk through the village unimpeded by vehicular traffic.

These access ways can be opened up for life safety and service vehicular traffic.

The two highlighted walkways are points where pedestrians may cross through the parking structures. This creates more direct access between transects to promote walkability throughout the village.




PEDESTRIAN WALKWAYS

Hardscaped pedestrian walkways implemented in more urban settings in both residential and commercial environments.



TERMINATION VISTAS

The purpose of a Termination Vista is to emphasize a focal point within the village. Important structures or elements of buildings create focal points to draw in users.



Dashed lines are used to represent where users would be seeing the Termination Vista and why they would be located at the end of the primary entires to the village.


TRANSECT ZONES

Community plans for complete new neighborhoods and smaller infill sites over 10 acres shall assign and map transect zones to each pedestrian shed according to the percentages allocated in the table on the following page.

Transect Zones were assigned to each parcel based on the planned use and density for each potential parcel. Our entire SGCP will be considered TOD as it lies within ¼ mile of the light rail station.

The criteria for determining the appropriate mix of Transect Zones are as follows:

- (1) Proximity to existing or future transit stops;
- (2) Scale and uses adjacent to site;
- (3) Existing zoning and entitlement of property;
- (4) Size of the site;
- (5) Site constraints and opportunities;
- (6) Ability of site to create a complete walkable neighborhood; and/or
- (7) Role of this site in Smart Growth strategy for the larger city based on sector mapping or macro scale analysis.



REQUIRED ALLOCATION TRANSECT ZONES

Transit Oriented Development

Transect	Minimum	Maximum
T3N	NA	NA
T4N	no minimum	20%
T4NF	no minimum	15%
T4MS	no minimum	30%
T5N	no minimum	80%
T5MSF	10%	75%
T5MSF	10%	30%
T6MS	NA	NA

PEDESTRIAN SHED TRANSECT ALLOCATION

Sycamore SGCP Parcel Worksheet

Parcel	Transect	Use	GSF	NSF	NSF%	GSF%
A1	T5MSF	Mixed Use, MF Housing	131,000	88,500	2%	2%
A2	T5MS	Mixed Use, MF Housing	149,000	116,000	3%	2%
B1	T4NF	MF Housing	107,000	53,000	2%	1%
B2	T4N	Townhome, Courtyard Building	128,000	47,500	2%	1%
C	T5MSF	Parking Structure, Commercial	105,000	50,000	2%	1%
D1	T5N	Senior Living	178,000	118,000	3%	2%
D2	T4NF	Senior Living	64,000	32,000	1%	1%
E	T5MSF	Retail	353,800	338,000	6%	6%
F	T5MSF	Retail	123,700	101,500	2%	2%
G	T5MSF	Retail	45,800	45,800	1%	1%
H1	T5MSF	Retail	80,000	80,000	1%	1%
H2	T5MSF	Retail	102,000	102,000	2%	2%
I	T3	Neighborhood	1,280,500	1,280,500	22%	24%
J	T5MSF	Mixed Use, MF Housing	288,150	288,150	5%	5%
K	T5MSF	Mixed Use, MF Housing	252,000	252,000	4%	5%
L	T5MSF	Mixed Use, MF Housing	428,000	428,000	7%	8%
M	T4NF	MF Housing	428,000	428,000	7%	8%
N	T5MS	MF Housing	300,000	300,000	5%	6%
O	T5MS	MF Housing	1,250,000	1,250,000	22%	23%

Totals			5,793,950	5,398,950		
	Acres		133.01	123.94		

Transect	Use	Proposed	Minimum	Maximum
T5MS	Mixed Use, MF Housing	30%	10%	30%
T5MSF	Mixed Use, MF Housing	33%	10%	75%
T5N	Senior Living	3%	0%	80%
T4NF	Senior Living	10%	0%	15%
T4N	Townhouse, Courtyard Building	2%	0%	20%
T3	Neighborhood	22%	N/A	N/A

PROPOSED TRANSECT ALLOCATIONS

Sycamore SGCP Parcel Worksheet

Parcel	Transect	Use	GSF	NSF	NSF%	GSF%
A1	T5MSF	Mixed Use, MF Housing	131,000	88,500	15%	18%
A2	T5MS	Mixed Use, MF Housing	149,000	116,000	17%	23%
B1	T4NF	MF Housing	107,000	53,000	12%	10%
B2	T4N	Townhome, Courtyard Building	128,000	47,500	15%	9%
C	T5MSF	Parking Structure	105,000	50,000	12%	10%
D1	T5N	Senior Living	178,000	118,000	21%	23%
D2	T4NF	Senior Living	64,000	32,000	7%	6%
E	T5MSF	Retail - not included	353,800	338,000	41%	67%
F	T5MSF	Retail - not included	123,700	101,500	14%	20%
G	T5MSF	Retail - not included	45,800	45,800	5%	9%

Totals			862,000	505,000		
	Acres		19.79	11.59		

Transect	Use	Proposed	Minimum	Maximum
T5MS	Mixed Use, MF Housing	17%	10%	30%
T5MSF	Mixed Use, MF Housing	27%	10%	75%
T5N	Senior Housing	21%	0%	80%
T4NF	Senior Living, MF Housing	20%	0%	15%
T4N	Townhome, Courtyard Building	15%	0%	20%

highlights indicate where proposal meets allocation percentages

PARKING

Transects range from requiring no, low and moderate parking availability. The code promotes the walkability of thoroughfares and therefore parking responds to the use of each transect and their relationship to each other and the city's public transportation hub.

ON STREET PARKING


Although the code promotes having no to low street parking to encourage walkability it allows for street parking along thoroughfares.

In reference to the thoroughfare types as well as the transect type the majority of on-street parking is parallel parking. The code also allows for diagonal parking which can be seen along parcels A1 and A2.

Location of on-street parking around intersections should be evaluated during this analysis to identify potential conflicts between turning vehicles and on street parking.

Street Parking accommodates both Resident and Visitor Parking.

Approximately 300 spaces of on-street parking.



STRUCTURED OFF-STREET PARKING


All transect types have low to no parking requirements to promote walkability and asks that commercial parking be handled as part of a downtown commercial district, while residential parking is in off-street structured parking.

The parking garage on parcel A1 provides the primary parking for both residential parcels A1 and A2. The garage yields 350 spaces.

Main Street Mixed residences at Parcel B1 will also use a 1 story structure to park its residents.

The parking structure on Parcel C provides 350 spaces for transit users, hourly visitor parking, and monthly rental parking.

The structure on D1 accommodates the users of the extended living residences as well as their visitors and has 200 spaces.




PRIVATE INDIVIDUAL RESIDENCE GARAGES

The requirements of the primarily residential transects are to provide a moderate availability of parking to promote walkability and minimize the visual impact on the neighborhood.

The blue indicates the location of where residences have personal garage spaces. 1-2 spaces will be provided for each unit constructed.


Overflow and Visitor parking will primarily utilize the surrounding street parking and the paid parking available in the structure on Parcel C.



PARK AND RIDE

To service light rail users, the City of Mesa offers a park and ride program where individuals may leave their car and take the light rail or the bus system.

The parking structure on parcel C allows for 350 parking spaces that primarily serve the park and ride program and allows for opportunity to buy monthly passes.




BIKE PARKING

In an effort to make the City of Mesa more bike and pedestrian friendly the code emphasizes the walkability of thoroughfares. This allows cyclists to use streets safely and encourages them as a mode of transportation.

Additionally, the park and ride also gives users the opportunity to park their bike and use the public transportation options available from this location.

Each parcel will accommodate bicycle parking required by code.



MAIN STREET

WEST MAIN STREET PLAN

The following are policies outlined in the City of Mesa West Main Street Plan. Included are brief explanations of their compliance.

Any side setbacks may be zero however if not zero then must be five feet or greater.

Comply- Per Transect Ordinances, setbacks are between 0' minimum and 20' maximum.

75% minimum building frontage required with exceptions for plazas and parks.

Comply- Proposed Independent blocks encourage majority street frontage.

At least 25% of ground floor width shall be used as retail or office along main street.

Comply- One Building on Transect A2 which is greater than 25% of the ground floor on the transect is designated for office and retail uses. Residential uses will occupy these spaces until the corridor supports retail and commercial uses.

Minimum 65% of commercial ground floor width shall be windows along Main Street and shall be a minimum of 30% of the ground floor facade area.

Comply - Frontages provided in the code and supported in the SGCP encourage transparency at the ground plane along Main Street.

30% of blank wall maximum and 20' maximum for commercial facing Main Street.

Comply- Residential and Retail uses promoted in the SGCP encourage transparency and integrated facades that do not support a blank wall condition

50% of blank wall maximum and 20' maximum for residential facing Main Street.

Comply- Residential and Retail uses promoted in the SGCP encourage transparency and integrated facades that do not support a blank wall condition

Buildings along Main Street should be oriented to Main Street with entrances.

Comply- Buildings along main street are oriented towards main street and will provide entry opportunities for current and future tenants

COMMUNITY GOALS FOR THE WMSP

- Address safety issues
- Bring in high quality/high paying jobs
- Celebrate and reflect the cultural diversity of our community
- Family-oriented activities and facilities
- Think creatively/innovatively
- See what has worked for other cities
- Maintain and preserve neighborhood culture
- Extend downtown [Main St] look and feel west
- Keep existing assets and add new things
- Find ways to pay for improvements
- High quality mixed use developments supporting a diverse population
- Create fun nighttime activities that will also increase safety
- Pedestrian-scale development and landscaping
- Improve appearance for enjoyable walking areas to 'have a stroll'
- Extend light rail into downtown
- Have delineation between what will be redeveloped or will be preserved
- Quality public spaces that aren't necessarily parks
- Focus on downtown first and then extend improvements west
- Protect improvements by restricting less attractive developments
- Enforce codes
- Create a 'softer' Main St
- Be selective in business recruitment and development
- Use common sense in working with developers, use of resources and
- Get with the times
- Minimal disruption along ½ mile north and south [of Main]
- Encourage development
- Nightlife
- More open, green space
- Collection of diverse medium size developments not one big, singular development
- Continue attention on the west side [of Mesa]
- Controlled flexibility
- Enforce the defined codes
- New master plan for the City
- Encourage individual property owners to development
- [Do something about] traffic problems

EXISTING MAIN STREET



POTENTIAL OF MAIN STREET



REFERENCES

CODES

FORM BASED CODE

Chapter 56- Form-Based Code Overview
Chapter 57- Maps
Chapter 58- Building Form Standards
Chapter 59- Building Type Standards
Chapter 60- Private Frontage Standards

Chapter 61- Thoroughfare Standards
Chapter 62- Civic Space Standards
Chapter 63- Smart Growth Community Plans
Chapter 64- Definitions

<http://www.mesaaz.gov/business/development-sustainability/planning/zoning-ordinance>

IMAGES

Page 2-3 Pena Station, Denver: L.C. Fulenwider, Inc.
 Millbrae BART/Caltrain Stationk, Republic Millbrae LLC + Robin Chiang & Company

Page 6 Vialta Group, LLC.: <http://bettercities.net/article/market-responsive-form-based-codes-19958>
 Columbia Pike Form Based Code: <http://formbasedcodes.org/>
 Cedar Park Neighbors: <http://www.cedarparkneighbors.org/>
 Children Playing In Park: <http://incolors.club/collectionkdown-kids-playing-at-the-park.htm>
 MRP Residential: <http://dc.curbed.com/2014/11/25/10018130/mixeduse-development-on-its-way-to-navy-yard-in-2016>

Page 8-11 Google Maps

Page 14-27 Image sources listed below primary pictures
 Other Images: City of Mesa Codes listed above
 Beaver Barracks Housing, Barry J. Hobin & Assoc.
 Odin Apartments, Runberg Architecture Group
 DTLA South Park, Mack Urban
 Olympic and Olive, Driver URBAN
 Edition/Richmond, Audax
 Tejon 35, Meridian 105 Architecture
 DEC 100 Housing, Urban Platform
 The Solstice, 2form Architecture
 Hoover Garage, Zahner
 Rockhurst North Garage and Retail, BNIM
 Hotel Healdsburg, David Baker
 Via Cordillera, JS^a + DMG Architects

Page 34 Stationsstraat, Sweco Belgium
 Nueva School, Andrea Cochran Landscape Arch.
 McBurney Lane, HAPA Collaborative
 Brookfield Place, HASSELL
 Unknown
 Charenton-Le-Pont Town Center,
 Agence Babylone

Page 41 Ayers Saint Gross
 Lonsdale Street Dandenong / BKK Architects
 Ave. 9 Julio, Buenos Aires Argentina
 Cortex Campus, @4240
 Walnut Hill, Form Based Code Institute
 Vertex, Ayers Saint Gross

Page 30-31 Hypar, Scofidio + Renfro + FXFowle
 Schenley Plaza, Sasaki Associates
 Deaderick Street, Hawkins Partners, Inc.
 Pace University: Courtyard, AECOM
 Eleanor Raoul Hall, Ayers Saint Gross
 Iota Housing Complex, Ayers Saint Gross
 Hyllie Plaza, Thorbjörn Andersson + Sweco Architects

Page 43 Santa Clara Transit-Oriented Development,
 Robin Chiang & Company

SYCAMORE STATION REZONING
SMART GROWTH COMMUNITY PLAN



DOBSON AND MAIN REDEVELOPMENT