




LOCATION BRANDING DOCUMENT

City/State: Mesa AZ
Address: 1411 South Power Road, Suite 101
Creation Date: 12/08/2016
Revised: 02/21/2017
05/31/2017
06/01/2017
07/18/2017
07/20/2017
08/08/2017
08/10/2017
08/31/2017
09/01/2017
10/04/2017
11/21/2017
11/22/2017
11/28/2017
12/19/2017
12/20/2017
12/27/2017

APPROVED

By Carey Maike Rozhavsky at 12:55 pm, Dec 27, 2017

Site



S1

Remote Wired Illuminated Globe & Custom Raceway Wired Letters

Installation Guidelines for Globe

- Install new remote wired illuminated globe as shown
- ACM panels to be provided by others
- Install new raceway wired illuminated letter set as shown
- Raceway to be installed on canopy and painted to match
- Allowed a combined area of 160 sq ft for all signs per code

BEFORE





AFTER



IL-54-Globe

4'-6"

20.25




Custom-IL-RWY-18-White Ltrs

A B sq. ft. (AxB)

1'-6" 4'-8 3/4" 7.1

Globe Specifications



.063" aluminum returns painted Matthews MP65457 White, satin finish.
Paint interior surfaces
74200 SP ZAP White Light Enhancement.
.090" aluminum back;
Paint interior surfaces
74200 SP ZAP White Light Enhancement.

1/2" clear acrylic face with
3M #3630-20 White translucent film applied 1st surface
and 3M #3635-30 White Diffuser Film applied 2nd surface
White LED module
3 1/2" w x 5" h narrow channel
aluminum raceway
painted to match fascia
1/4" dia. weep hole with light
cover (min. 2 holes per letter)
Mechanical fastener per
site conditions
Canopy

Revisions:

Revised to 6 piece globe / AS / 02.21.17
Revise to contain both S1 and S2 / EO / 5.31.17
Added before and after photos / AS / 07.18.17

Add fascia dims / EO / 7.20.17

Updated per new exterior study / TD / 8.8.17
Revised globe size / AS / 11.21.17
Add red dotted sqft boxes / EO / 11.22.17

File Location:
Drive/Clients/ATT

STND ☒ X
CSTM ☐

☒ AS ☐ CR ☐ EN

Date: 12-08-2016

Designer: AS PM: AB

City/State: Mesa AZ

Address: 1411 South Power Road, Suite 101

Drawing #

C51318

Site Name

-

S2

Custom Remote Wired Illuminated Letterset



Installation Guidelines

- Install new remote wired illuminated letterset as shown
- Allowed a combined area of 160 sq ft for all signs per code


BEFORE



AFTER



AT&T Letter Specifications



Scale | 1/2"=1'-0"



Revisions:

Revised to 6 piece globe / AS / 02.21.17

Added before and after photos / AS / 07.18.17

Add fascia dims / EO / 7.20.17

Updated per new exterior study / TD / 8.8.17

Revise to 4' globe / EO / 8.31.17

Revise elevation / EO / 9.1.17

Revised to black letters / AS / 12.19.17

File Location:
Drive/Clients/ATTSTND
CSTM
☐ AS
 ☒ CR
 ☐ EN

Date: 12-08-2016

Designer: AS PM: AB

City/State: Mesa AZ

Address: 1411 South Power Road, Suite 101

Drawing #

Site Name

C51318

-

S3

Custom Remote Wired Illuminated Letterset



Installation Guidelines

- Install new remote wired illuminated letterset as shown
- ACM panels to be provided by others
- Fascia dimensions to be verified with tech survey
- Allowed a combined area of 160 sq ft for all signs per code



BEFORE



AFTER



Scale | 1/2"=1'-0"




S4


Door Vinyl (First Surface)

Installation Guidelines

- Remove any existing vinyl, clean off any remaining residue
- Install new 3M #7725-10 White vinyl first surface
- Store hours must be verified with site prior to manufacturing



Note: For double door installation,
install only on right-hand door



S5

Rear Door Vinyl (First Surface)

Installation Guidelines

- Install new 3M #7725-10 White vinyl and 3M #7725-12 Black vinyl first surface

NEW LAYOUT MUST BE VERIFIED AND APPROVED