LANDSCAPE NOTES

- I. LOCATE UTILITIES PRIOR TO COMMENCING LANDSCAPE OPERATIONS. ALL TREES SHALL BE FIELD POSITIONED AS TO AVOID CONFLICTS WITH EXISTING AND PROPOSED UTILITIES. NOTIFY LANDSCAPE ARCHITECT OF ANY CONFLICTS OR OBSTRUCTIONS
- 2. CONTRACTOR SHALL STAKE ALL PLANTING AREAS IN THE FIELD PRIOR TO PLANTING FOR APPROVAL OF THE OWNER OR THEIR REPRESENTATIVE.
- 3. CONTRACTOR SHALL VERIFY ALL PLANT QUANTITIES PRIOR TO PLANTING. ANY DISCREPANCIES WITH THE PLAN SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT. THE PLAN QUANTITIES SHALL SUPERCEDE
- 4 ALL PLANT MATERIAL SHALL BE SPECIMEN QUALITY AND SHALL COMPLY WITH RECOMMENDATIONS AND REQUIREMENTS OF ANSI Z60.1 THE 'AMERICAN STANDARD FOR NURSERY STOCK'.
- 5. TOPSOIL MIX: ASTM 5268, PH RANGE OF 5.5 TO 7%, MINIMUM OF 4% ORGANIC MATERIAL. SOIL SHALL BE FREE OF STONE ½" OR LARGER IN ANY DIMENSION, SUBSOIL, CLAY LUMPS, ROOTS, BRUSH, WEEDS, WEED SEED, AND OTHER EXTRANEOUS OR TOXIC MATERIALS HARMFUL TO PLANT GROWTH. CONTENTS OF SOIL SHOULD CONTAIN NO MORE THAN 15% SILT AND 15% CLAY. SOIL SHOULD ALSO CONTAIN NO LESS THAN 40% SAND. TOPSOIL SOURCE SHALL BE FROM ON-SITE MATERIALS: IF ON-SITE SOURCE IS UNAVAILABLE, SUPPLEMENT FROM ON-SITE MATERIALS, IF ON-SITE SOURCE IS DIAVALLABLE, SUPPLEMEN WITH IMPORTED TOPSOIL FROM A PRE-APPROVED SOURCE. ALL IMPORTED TOPSOIL MIXES SHALL BE TESTED BY THE CONTRACTOR AND APPROVED BY THE OWNER PRIOR TO INSTALLATION.
- PREPARE PLANTING BEDS AND INCORPORATE AMENDMENTS AS FOLLOWS:
- 6.1.1. LOOSE PEAT HUMUS BY VOLUME: 1 PART
- 6.1.2. WELL-ROTTED COMPOSTED MANURE BY VOLUME: 1 PART
- 6.1.3. TOPSOIL (AS DEFINED IN NOTE 13): 2 PARTS 6.1.4. FERTILIZER: 3 LBS./100SF

- 6.14, FERTILIZER: 3 LBS./100SF
 6.2. BACKFILL FOR TREES
 6.2.1. LOOSE PEAT HUMUS BY VOLUME: 1 PART
 6.2.2. WELL-ROTTED COMPOSTED MANURE BY VOLUME: 1 PART
 6.2.3. TOPSOIL (AS DEFINED IN NOTE 5: 3 PARTS
 6.2.4. FERTILIZER: AGRIFORM TABLET (OR APPROVED EQUAL) PER MANUFACTURERS RECOMMENDATION
- 7. DECOMPOSED GRANITE SHALL BE USED AS A THREE INCH (3") TOP DRESSING IN ALL PLANTING BEDS, AND AROUND ALL TREES. SINGLE TREES AND SHRUBS SHALL BE MULCHED TO THE OUTSIDE EDGE OF THE SAUCER.
- 8. ALL TREES SHALL BE STAKED PER DETAIL
- 9. ALL PLANT MATERIAL SHALL BE INSTALLED TO ALLOW A ONE FOOT (1') CLEARANCE BETWEEN PLANT AND ADJACENT PAVEMENT.
- 10. THE LANDSCAPE CONTRACTOR SHALL NOT COMMENCE WORK UNTIL THE SITE IS FREE OF DEBRIS CAUSED BY ON-GOING CONSTRUCTION OPERATIONS. REMOVAL OF DEBRIS SHALL BE THE RESPONSIBILITY OF THE GENERAL REMOVAL OF DEBRIS SHALL DETINE RESPONSIBILITION TO SERVING CONTRACTOR. LANDSCAPE WORK SHALL NOT BEGIN UNTIL THE LANDSCAPE ARCHITECT AND OWNER HAVE GIVEN WRITTEN APPROVAL FOR SUCH. THERE SHALL BE NO DELAYS DUE TO LACK OF COORDINATION FOR THIS ACTIVITY
- 11. THE LANDSCAPE ARCHITECT AND/OR OWNER SHALL APPROVE GRADES AND CONDITION OF SITE PRIOR TO LANDSCAPE OPERATIONS.
- 12. ALL LANDSCAPE SHALL BE MONITORED AND MAINTAINED BY THE LANDSCAPE CONTRACTOR; REFER TO MAINTENANCE NOTES THIS SHEET.
- 13 CONTRACTOR SHALL WARRANTY ALL LIVING PLANTING MATERIAL (INCLUDING CONTRACTOR SHALL WARRANTY ALL LIVING PLANTING MATERIAL (INCLUDING BUT NOT LIMITED TO TREES, SHRUBS, & GROUNDCOVERS) FOR A PERIOD OF ONE (1) YEAR AFTER DATE OF SUBSTANTIAL COMPLETION, AGAINST DEFECTS INCLUDING DEATH AND UNSATISFACTORY GROWTH, EXCEPT FOR DEFECTS RESULTING FROM LACK OF ADEQUATE MAINTENANCE, NEGLECT, OR ABUSE BY THE OWNER, ABNORMAL WEATHER CONDITIONS UNUSUAL FOR WARRANTY PERIOD OR INCIDENTS THAT ARE BEYOND THE CONTRACTOR'S CONTROL.

LANDSCAPE MAINTENANCE

- GENERAL LANDSCAPE
- BEGIN MAINTENANCE IMMEDIATELY AFTER PLANTING. MAINTENANCE SHALL CONTINUE FROM INSTALLATION TO THE TIME OF SUBSTANTIAL COMPLETION, AND FOR NO LESS THAN 60 DAYS AFTER SUBSTANTIAL COMPLETION.
- 2. CONTRACTOR SHALL SUPPLY THE OWNER A WEEKLY LOG OF MAINTENANCE ACTIVITY BEGINNING AFTER PLANTING CONTINUING THROUGHOUT THE ENTIRE MAINTENANCE PERIOD.
- 3. ALL LANDSCAPE SHALL BE, AT A MINIMUM, INSPECTED ONCE PER WEEK BY THE CONTRACTOR THROUGHOUT THE MAINTENANCE PERIOD.
- 4. LANDSCAPE WORK MAY BE OBSERVED FOR ACCEPTANCE IN PORTIONS AS AGREEABLE TO THE OWNER OR LANDSCAPE ARCHITECT, PROVIDED EACH PORTION OF WORK OFFERED FOR OBSERVATION IS COMPLETE, INCLUDING MAINTENANCE. SUBSTANTIAL COMPLETION WILL NOT BE CONSIDERED UNTIL ALL LANDSCAPING HAS BEEN INSTALLED PER THE CONTRACT.

TREES AND SHRUBS

- MAINTAIN TREES AND SHRUBS BY PRUNING, WATERING, CULTIVATING,
 MULCHING, AND WEEDING AS REQUIRED FOR HEALTHY GROWTH. RESTORE
 PLANTING SAUCERS, TIGHTEN AND REPAIR STAKE AND GUY SUPPORTS AND RESET TREES AND SHRUBS TO PROPER GRADES OR VERTICAL POSITION AS
- 2 WATER TREES AND SHRUBS WEEKLY TO A DEPTH FOUAL TO THE SIZE OF THE WATER TREES AND SHRUBS WEEKLY TO A DEPTH EQUAL TO THE SIZE OF THE ROOTBALL OR CONTAINER WHEN PLANTED. SOIL SHOULD BE KEPT MOIST BUT NOT OVERLY SATURATED. DURING TIMES OF DROUGHT OR EXTREME HEAT, CONTRACTOR SHALL WATER ENOUGH TO SUSTAIN PLANT LIFE. THE USE OF WATER BAGS SHALL BE APPROVED BY THE OWNER PRIOR TO USE AND DOES NEGATE THE CONTRACTOR FROM INSPECTIONS OR ROUTINE MAINTENANCE.
- 3. RESTORE OR REPLACE DAMAGED WRAPPINGS
- 4. SPRAY AS REQUIRED TO KEEP TREES AND SHRUBS FREE FROM DISEASE AND

- NATIVE SEEDING SHALL OCCUR ONLY IN SPRING BETWEEN MAY 1ST AND JUNE
 15TH. SEEDING AT OTHER TIMES WILL REQUIRE A COVER CROP APPROVED BY THE LANDSCAPE ARCHITECT AND CITY CODE.
- 2. GRADED AREAS SHALL PROVIDE A SMOOTH UNIFORM SLOPE, FREE FROM RILLS
- 3. THE TOP FOUR INCHES OF SOIL SHALL BE FERTILE SOIL SUITABLE FOR SEED
- 4. PRIOR TO APPLICATION OF SEED, CONTRACTOR SHALL LOOSEN ALL SOILS TO A DEPTH OF ONE INCH. THE AREA SHALL BE RAKED FREE OF ALL ROCKS AND DETRITUS OF A SIZE LARGER THAN THREE INCHES.
- 5 ALL AREAS TO BE SEEDED LOCATED ON SLOPES STEEPER THAN 4:1 (H:V) SHALL USE SPECIFIED EROSION CONTROL BLANKET (ECB). CONTRACTOR TO VERIFY AND INSTALL ON ALL SLOPES EXCEEDING 4:1 AFTER FINAL GRADING IS
- 6. ALL SEEDED ARES SHALL BE DRAGGED OR RAKED BEFORE BEING COVERED WITH THE SPECIFIED EROSION CONTROL, AND SHALL BE PLACED PRIOR TO EXPOSURE TO ADVERSE WEATHER.
- 7. THE CONTRACTOR MUST PROVIDE THE OWNER'S REPRESENTATIVE DOCUMENTATION FROM THE SUPPLIER THAT EACH LOT OF SEED MEETS OR EXCEEDS THE SPECIFIED STANDARD.
- 8. ALL SEED MUST BE TESTED BY A REGISTERED SEED TECHNOLOGIST PER AOSA METHODS AND MEET ALL REQUIREMENTS ESTABLISHED BY THE ARIZONA DEPARTMENT OF AGRICULTURE.
- 9. AFTER COMPLETION OF WORK, CONTRACTOR SHALL WATER SEEDED AREAS DAILY. SATURATING THE MAT AND UNDERLYING SEED BED. CONTRACTOR SHALL CONTINUE WATERING UNTIL PLANT ESTABLISHMENT HAS OCCURRED OR BY NOTIFICATION FROM LANDSCAPE ARCHITECT. NOT WATERING DUE TO BAIN EVENT SHALL BE DOCUMENTED AND SUBMITTED TO THE LANDSCAPE ARCHITECT.

NATIVE SEED SOIL NOTES

- TOPSOIL
 A. TOPSOIL: ASTM D 5268, PH RANGE OF 5.5 TO 7.4 PERCENT ORGANIC
 MATERIAL MINIMUM, FREE OF STONES 1/2 INCH (25 MM) OR LARGER IN
 ATTURED EXTRANEOUS MATERIALS HARMFUL TO PLANT GROWTH.
- TOPSOIL SOURCE: REUSE SURFACE SOIL STOCKPILED ON THE SITE. TOPSOIL SOURCE: REUSE SURFACE SOIL STOCKPILED ON THE SITE. VERIEY SUITABILITY OF SURFACE SOIL TO PRODUCE TOPSOIL MEETING REQUIREMENTS AND AMEND TO ACHIEVE REQUIRED PH AND ORGANIC CONTENT AS NECESSARY AND RECOMMENDED THROUGH SOIL TESTS. CLEAN TOPSOIL OF ROOTS, PLANTS, SODS, STONES, CLAY LUMPS, AND OTHER EXTRANEOUS MATERIALS HARMFUIL TO PLANT GROWTH, SOIL SHALL NOT CONTAIN MORE THAN 20 STONES OR OTHER FOREIGN MATERIAL 1ESS TAMA! NICK! 25 MAIN DIMMETERS IN ANY ONE SOIL ARE MATERIAL LESS THAN 1 INCH (25 MM) IN DIAMETER IN ANY ONE SQUARE YARD AREA.
- 2. SOIL AMENDMENTS
- SOIL AMENDMENTS

 A LIME: ASTM C 602, CLASS T, AGRICULTURAL LIMESTONE CONTAINING A MINIMUM 80 PERCENT CALCIUM AND MAGNESIUM EQUIVALENT, WITH A MINIMUM 90 PERCENT PASSING A NO. 8 SIEVE, A MINIMUM 75 PERCENT PASSING A NO. 60 SIEVE. AND 100% PASSING A NO. 100 SIEVE.

 PEAT HUMUS: SHREDDED HORTICULTURAL GRADE SPHAGNUM PEAT MOSS, 90% ORGANIC MOSS PEAT, WITH ASH CONTENT OF 10% OR LESS, BEQUIVALY OF 10% OR LESS,
- BROWN IN COLOR.
 MANURE: WELL-ROTTED, UNLEACHED STABLE OR CATTLE MANURE
- CONTAINING NOT MORE THAN 25 PERCENT BY VOLUME OF STRAW, SAWDUST, OR OTHER BEDDING MATERIALS; FREE OF TOXIC SUBSTANCES, STONES, STICKS, SOIL, WEED SEED, AND MATERIAL HARMFUL TO PLANT GROWTH.

 D. WATER: POTABLE.

- A. DO NOT USE FERTILIZERS IN NATIVE GRASS SEEDING AREAS.
- 4. STRAW MAT
- A PROVIDE A BIODEGRADABI E SINGLE NET TWO-SIDED ORGANIC STRAW MAT WITH FUNCTIONAL LONGEVITY OF 10-12 MONTHS BY GREENEIX AMERICA, PRODUCT WS072 DOUBLE NET STRAW OR APPROVED EQUAL
- EROSION CONTROL
 A. EROSION CONTROL BLANKET SHALL BE PRODUCED FROM 100%
 COCONUT COIN FIBER, BIODEGRADABLE DOUBLE JUTE NETTING, WITH
 50% OPEN AREA, BIODEGRADABLE JUTE YARN THREAD, RATED FOR A 2 EAR LONGEVITY RATING.
- B. STAPLE OVER EDGES AND DRAPE OVERSIDES FOR OVERLAP FINISH, MINIMUM 6" OVERLAP REQUIRED.
- 6. MISCELLANEOUS MATERIALS
- CELLANEOUS MATERIALS
 MYCORRHIZAL INOCULANT: THE SUBCONTRACTOR SHALL UTILIZE AN
 ORGANIC MYCORRHIZAL INCCULANT FOR EROSION REPAIR. THE
 MATERIAL SHALL BE GRANULAR GROLIFE OR APPROVED EQUAL.
 INOCULANTS SHALL BE USED PER MANUFACTURER'S SPECIFICATIONS.


PRELIMINARY - NOT FOR CONSTRUCTION

2023-09-25 RG BMS BMS ISSUED FOR REZONING COMMENTS C 2023-07-31 RG BMS BMS ISSUED FOR REZONING COMMENTS
3 2023-04-28 RG BMS BMS ISSUED FOR REZONING SUBMITTAL

A 2023-01-09 CAW AMM AMM ISSUED FOR ORCA 30%

2025-08-18 NO SCALE I -001

onic Materials U.S.





CITY OF MESA LANDSCAPE REQUIREMENTS:

1. PERIMETER LANDSCAPING - 1 TREE & 6 SHRUBS PER 25 LF OF STREET FRONTAGE

SOUTH SIGNAL BUTTE ROAD: 960 LF = 39 TREES & 234 SHRUBS REQUIRED PROVIDED: 39 TREES & 234 SHRUBS

SOUTH MOUNTAIN ROAD 1: 265 LF = 11 TREES & 66 SHRUBS REQUIRED PROVIDED: 11 TREES & 66 SHRUBS

SOUTH MOUNTAIN ROAD 2: 278 LF = 12 TREES & 72 SHRUBS REQUIRED PROVIDED: 12 TREES & 72 SHRUBS

2. SCREENING - 5 NON-DECIDUOUS TREES PER 100 LF OF ADJACENT PROPERTY LINE

SOUTH SIGNAL BUTTE ROAD: 518 LF = 26 TREES REQUIRED **PROVIDED**: 26 TREES

SUBSTATION: 200 LF = 10 TREES REQUIRED PROVIDED: 10 TREES

RAIL YARD: 558 LF = 28 TREES REQUIRED **PROVIDED**: 28 TREES

EXISTING PARKING AREA (NE CORNER OF SITE): 315 LF = 16 TREES REQUIRED PROVIDED: 16 TREES

3. LANDSCAPE YARD - 3 NON-DECIDUOUS TREES AND 20 SHRUBS PER 100 LF OF

ADJACENT PROPERTY LINE. NW PROPERTY LINE: 573 LF = 18 TREES & 120 SHRUBS REQUIRED **PROVIDED**: 18 TREES & 120 SHRUBS

SW PROPERTY LINE: 1,266 LF = 39 TREES & 260 SHRUBS REQUIRED **PROVIDED**: 39 TREES & 260 SHRUBS

SE PROPERTY LINE (1): 245 LF = 9 TREES & 60 SHRUBS REQUIRED **PROVIDED:** 9 TREES & 60 SHRUBS

SE PROPERTY LINE (2): 263 LF = 9 TREES & 60 SHRUBS REQUIRED **PROVIDED**: 9 TREES & 60 SHRUBS

4. PARKING LOT LANDSCAPE ISLANDS - 1 SHADE TREE & 3 SHRUBS FOR EVERY 15FT PARKING ISLAND SOUTH MOUNTAIN ROAD: 22 SHADE TREES & 66 SHRUBS REQUIRED **PROVIDED**: 22 SHADE TREES & 66 SHRUBS

OPEN SPACE - 50% OF ALL REQUIRED OPEN SPACE SHALL CONTAIN LIVE PLANT MATERIAL. SQUARE FOOTAGE CREDIT CALCULATIONS FROM TABLE 11-33-2-E.

OPEN SPACE PROVIDED = 27.572 SF

LIVE PLANT MATERIAL REQUIRED: 13,786 SF LIVE PLANT MATERIAL PROVIDED: 33,790 SF

| OTANICAL NAME | COMMON NAME | HxW (AT MATURITY) | TYPE | QTYxCREDIT SF | тота |
|------------------------------------|--------------------------|-------------------|-------------|---------------|-------------------------|
| lea europaea 'Swan Hill' | Swan Hill Olive | 25'x25' | Evergreen | 44x100 | 4.400 |
| arkinsonia x 'Desert Museum' | Desert Museum Palo Verde | 25'x25' | Shade | 39x50 | 1,950 |
| inus eldarica | Afghan Pine | 40'x20' | Evergreen | 93x100 | 9,300 |
| istacia chinensis | Chinese Pistache | 30'x25' | Shade | 33x50 | 1,650 |
| ophora secundiflora | Texas Mountain Laurel | 15'x10' | Ornamental | 61x25 | 1,525 |
| remophilia hygrophana 'Blue Bells' | Blue Bells Emu Bush | 3'x3' | Small Shrub | 259x10 | 2,590 |
| antana x 'New Gold' | New Gold Lantana | 3'x8' | Small Shrub | 19x10 | 190 |
| eucopyllum laevigatum | Chihuahuan Sage | 5'x6' | Med. Shrub | 148x25 | 3,700 |
| luhlenbergia capillaris | Pink Muhly Grass | 3'x3' | Ornamental | 347x5 | 1,735 |
| usselia equisetiformis | Firecracker Plant | 5'x5' | Med. Shrub | 270x25 | 6,750 33,79 0 |
| | | | | | ,- |

| IKEES | | | | | | |
|---------------------|----------|---------------------------------------|---------------------------|------------------------|----------------|------------|
| | OES | Olea europaea 'Swan Hill' | Swan Hill Fruitless Olive | 25'x25' (491 SF) | 24" Box, Multi | 44 |
| | PD | Parkinsonia x 'Desert Museum' | Desert Museum Palo Verde | 25'x25' (491 SF) | 24" Box | 39 |
| Ō | PE | Pinus eldarica | Afghan Pine | 40'x20' (314 SF) | 24" Box | 93 |
| | PC | Pistacia chinensis | Chinese Pistache | 30'x25' (491 SF) | 24" Box | 33 |
| \odot | SS | Sophora secundiflora | Texas Mountain Laurel | 15'x10' (79 SF) | 24" Box | 61 |
| TOTAL PR | OPOSE | D LOT COVERAGE: 772,404 SF; | TOTAL PROPOSED CANOPY CO | VERAGE: 90,977 SF = 12 | 2% OF TOTAL S | SITE |
| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | SIZE | SPACING | <u>QTY</u> |
| SHRUBS | | | | | | |
| \odot | EH | Eremophila hygrophana 'Blue Bells' | Blue Bells Emu Bush | 1 gal. | Per Plan | 259 |
| $\widetilde{\odot}$ | LN | Lantana x 'New Gold' | New Gold Lantana | 5 gal. | Per Plan | 19 |
| \odot | LL | Leucophyllum laevigatum | Chihuahuan Sage | 5 gal. | Per Plan | 148 |
| (*) | MC | Muhlenbergia capillaris | Pink Muhly Grass | 5 gal. | Per Plan | 347 |
| | RE | Russelia equisetiformis | Firecracker Plant | 5 gal. | Per Plan | 270 |
| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | SIZE | SPACING | QTY |
| BMP/RETE | ENTION | AREAS | | | | |
| | AR | Acacia redolens | Prostrate Acacia | 1 gal. | 8' o.c. | 86 |
| | AS | Atriplex semibaccata | Australian Saltbrush | 1 gal. | 6' o.c. | 113 |
| iiii | ВС | Bouteloua curtipendula | Sideoats Grama | 1 gal. | 3' o.c. | 4271 |
| | LN | Lantana x 'New Gold' | New Gold Lantana | 1 gal. | 6' o.c. | 209 |
| + + | MC | Muhlenbergia capillaris | Pink Muhly Grass | 1 gal. | 3' o.c. | 8821 |
| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | SIZE | SEED RATE | QTY |
| NATIVE SE | EED - NA | | M NATIVE AMERICAN SEED OR | APPROVED EQUAL | 34 LB/ACRE | |
| | | Bouteloua dactyloides | Buffalograss | N/A | | |
| | | Bouteloua gracilis | Blue Grama | N/A | | |

GENERAL NOTES

GENERAL NOTES: 1. THE LANDSCAPE ARCHITECT AND OWNER SHALI APPROVE GRADES AND CONDITION OF SITE PRIOR TO LANDSCAPE OPERATIONS.

REFER TO SHEET L-001 FOR GENERAL NOTES, LEGEND, AND ABBREVIATIONS.

REFER TO LS100 SERIES FOR LANDSCAPE PLANS.

LEGEND



NEW GRAVEL EXISTING GRAVEL


MEDONNELL MEDONNELL



PRELIMINARY - NOT FOR CONSTRUCTION

E 202-19-18 (v) 5 (MS) 5 (MS) 5 (MS) 5 (MS) 6 (MS) 6 (MS) 6 (MS) 6 (MS) 5 (MS) 5 (MS) 6 (MS)

| FUJI NO: | CLIENT PROJ I |
|------------|---------------|
| A&E FIRM N | io: PROJ i |
| DRAWN: | f |
| CHECKED: | B) |
| DATE: | 2025-08- |
| SCALE: | AS NOT |
| DRAWING | |
| L | -002 |
| CUEET | OE ## |





CITY OF MESA LANDSCAPE REQUIREMENTS:

1. PERIMETER LANDSCAPING - 1 TREE & 6 SHRUBS PER 25 LF OF STREET FRONTAGE

SOUTH SIGNAL BUTTE ROAD: 960 LF = 39 TREES & 234 SHRUBS REQUIRED PROVIDED: 39 TREES & 234 SHRUBS

2. LANDSCAPE YARD - 15-FOOT YARD. 3 NON-DECIDUOUS TREES AND 20 SHRUBS PER 100 LF OF ADJACENT PROPERTY LINE.

NW PROPERTY LINE: 573 LF = 18 TREES & 120 SHRUBS REQUIRED PROVIDED: 18 TREES & 120 SHRUBS

PHASE 1 PLANT SCHEDULE - OVERALL

| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | MATURE SIZE (HxW) | SIZE | QT\ |
|-------------------------------|----------|------------------------------------|---------------------------|-------------------|----------------|-----|
| TREES | OES | Olea europaea 'Swan Hill' | Swan Hill Fruitless Olive | 25'x25' | 24" Box, Multi | 28 |
| | PD | Parkinsonia x 'Desert Museum' | Desert Museum Palo Verde | 25'x25' | 24" Box | 21 |
| Ō | PE | Pinus eldarica | Afghan Pine | 40'x20' | 24" Box | 32 |
| | PC | Pistacia chinensis | Chinese Pistache | 30'x25' | 24" Box | 18 |
| \odot | ss | Sophora secundiflora | Texas Mountain Laurel | 15'x10' | 24" Box | 9 |
| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | SIZE | SPACING | QT\ |
| SHRUBS | | | | | | |
| \odot | EH | Eremophila hygrophana 'Blue Bells' | Blue Bells Emu Bush | 1 gal. | Per Plan | 97 |
| $\langle \hat{\cdot} \rangle$ | LN | Lantana x 'New Gold' | New Gold Lantana | 5 gal. | Per Plan | 19 |
| $\overset{\sim}{\odot}$ | LL | Leucophyllum laevigatum | Chihuahuan Sage | 5 gal. | Per Plan | 65 |
| Õ | МС | Muhlenbergia capillaris | Pink Muhly Grass | 5 gal. | Per Plan | 129 |
| | RE | Russelia equisetiformis | Firecracker Plant | 5 gal. | Per Plan | 119 |
| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | SIZE | SPACING | QTY |
| BMP/RETE | ENTION A | AREAS | | | | |
| | AR | Acacia redolens | Prostrate Acacia | 1 gal. | 8' o.c. | 86 |
| | AS | Atriplex semibaccata | Australian Saltbrush | 1 gal. | 6' o.c. | 113 |
| шш | вс | Bouteloua curtipendula | Sideoats Grama | 1 gal. | 3' o.c. | 427 |
| | LN | Lantana x 'New Gold' | New Gold Lantana | 1 gal. | 6' o.c. | 209 |
| * * * | MC | Muhlenbergia capillaris | Pink Muhly Grass | 1 gal. | 3' o.c. | 882 |
| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | SIZE | SEED RATE | QT\ |
| NATIVE SE | EED - NA | TIVE SUN TURF SEED MIX FROM N | NATIVE AMERICAN SEED OR A | PPROVED EQUAL | 34 LB/ACRE | |
| | | Bouteloua dactyloides | Buffalograss | N/A | | |
| | | Bouteloua gracilis | Blue Grama | N/A | | |
| | | | | | | |

GENERAL NOTES

GENERAL NOTES:

1. THE LANDSCAPE ARCHITECT AND OWNER SHALL APPROVE GRADES AND CONDITION OF SITE PRIOR TO LANDSCAPE OPERATIONS.

- REFER TO SHEET L-001 FOR GENERAL NOTES, LEGEND, AND ABBREVIATIONS.
- REFER TO LS100 SERIES FOR LANDSCAPE PLANS.

LEGEND



DECIDUOUS TREE

∞

EVERGREEN TREE SHRUBS



BOULDER BMP AREA



DISTURBED LAND WITH NATIVE GRASS SEEDING



UNDISTURBED LAND WITH NATIVE VEGETATION



NEW HEAVY DUTY ASPHALT PAVEMENT NEW HEAVY DUTY CONCRETE PAVEMENT



NEW GRAVEL

EXISTING GRAVEL


MEDONNELL


Electronic Materials U.S.A., Inc.


PRELIMINARY - NOT FOR CONSTRUCTION


| 2025-08-18 | RG | BMS | BMS | ISSUED | FOR | REZONING | COMMENTS |
|------------|-----|-----------|-------|---------|-----|----------|-----------|
| 2023-09-25 | RG | BMS | BMS | ISSUED | FOR | REZONING | COMMENTS |
| 2023-07-31 | RG | BMS | BMS | ISSUED | FOR | REZONING | COMMENTS |
| 2023-04-28 | RG | BMS | вмѕ | ISSUED | FOR | REZONING | SUBMITTAL |
| 2027 01 00 | CAW | A 1 4 1 4 | 41414 | ICCLIED | ΓΛD | 0004 708 | |


| FUJI NO: C | LIENT PROJ NO |
|--------------|---------------|
| A&E FIRM NO: | PROJ NO |
| DRAWN: | RG |
| CHECKED: | BMS |
| DATE: | 2025-08-18 |
| SCALE: | AS NOTED |
| DRAWING | |
| LS | 100 |
| CHEET | 05 "" |














FUJIFILM Electronic Materials U.S.A., Inc. MESA, AZ

. LANDSCAPE PLAN – PHASE 1

NO: CUENT PROJ NO
FIRM NO: 147051
Wh: RG
CKED: BMS
E: 2025-08-18
LE: AS NOTED
UNG
LS110



OVERALL LANDSCAPE PLAN - PHASE 2

4. PARKING LOT LANDSCAPE ISLANDS - 1 SHADE TREE & 3 SHRUBS FOR EVERY 15FT PARKING ISLAND

SOUTH MOUNTAIN ROAD: 22 SHADE TREES & 66 SHRUBS REQUIRED **PROVIDED**: 22 SHADE TREES & 66 SHRUBS

CITY OF MESA LANDSCAPE REQUIREMENTS:

1. PERIMETER LANDSCAPING - 1 TREE & 6 SHRUBS PER 25 LF OF STREET FRONTAGE

SOUTH MOUNTAIN ROAD 1: 265 LF = 11 TREES & 66 SHRUBS REQUIRED PROVIDED: 21 TREES & 125 SHRUBS

SOUTH MOUNTAIN ROAD 2: 278 LF = 12 TREES & 72 SHRUBS REQUIRED PROVIDED: 21 TREES & 125 SHRUBS

2. SCREENING - 5 NON-DECIDUOUS TREES PER 100 LF OF ADJACENT PROPERTY LINE SOUTH SIGNAL BUTTE ROAD: 518 LF = 26 TREES REQUIRED

EXISTING PARKING AREA (NE CORNER OF SITE): 315 LF = 16 TREES REQUIRED PROVIDED: 16 TREES

3. LANDSCAPE YARD - 3 NON-DECIDUOUS TREES AND 20 SHRUBS PER 100 LF OF ADJACENT PROPERTY LINE.

SW PROPERTY LINE: 1,266 LF = 39 TREES & 260 SHRUBS REQUIRED PROVIDED: 39 TREES & 260 SHRUBS

SE PROPERTY LINE (1): 245 LF = 9 TREES & 60 SHRUBS REQUIRED **PROVIDED**: 9 TREES & 60 SHRUBS

SE PROPERTY LINE (2): 263 LF = 9 TREES & 60 SHRUBS REQUIRED **PROVIDED**: 9 TREES & 60 SHRUBS

PHASE 2 PLANT SCHEDULE - OVERALL

| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | MATURE SIZE (HxW) | SIZE | QTY |
|---------------------|------|------------------------------------|---------------------------|-------------------|----------------|-----|
| TREES | OES | Olea europaea 'Swan Hill' | Swan Hill Fruitless Olive | 25'x25' | 24" Box, Multi | 3 |
| | PD | Parkinsonia x 'Desert Museum' | Desert Museum Palo Verde | 25'x25' | 24" Box | 18 |
| Õ | PE | Pinus eldarica | Afghan Pine | 40'x20' | 24" Box | 46 |
| | PC | Pistacia chinensis | Chinese Pistache | 30'x25' | 24" Box | 15 |
| $\widetilde{\odot}$ | SS | Sophora secundiflora | Texas Mountain Laurel | 15'x10' | 24" Box | 42 |
| SYMBOL | CODE | BOTANICAL NAME | COMMON NAME | SIZE | SPACING | QTY |
| SHRUBS | EH | Eremophila hygrophana 'Blue Bells' | Blue Bells Emu Bush | 1 gal. | Per Plan | 162 |
| \odot | LL | Leucophyllum laevigatum | Chihuahuan Sage | 5 gal. | Per Plan | 83 |
| Õ | MC | Muhlenbergia capillaris | Pink Muhly Grass | 5 gal. | Per Plan | 218 |
| \odot | RE | Russelia equisetiformis | Firecracker Plant | 5 gal. | Per Plan | 151 |
| | | | | | | |

GENERAL NOTES

GENERAL NOTES: 1. THE LANDSCAPE ARCHITECT AND OWNER SHALL APPROVE GRADES AND CONDITION OF SITE PRIOR TO LANDSCAPE OPERATIONS.

- REFER TO SHEET L-001 FOR GENERAL NOTES, LEGEND, AND ABBREVIATIONS.
- REFER TO LS100 SERIES FOR LANDSCAPE PLANS.

LEGEND

DECIDUOUS TREE

% \otimes EVERGREEN TREE SHRUBS

-355

BOULDER EXISTING BMP AREA

DECOMPOSED GRANITE EXISTING DECOMPOSED GRANITE

UNDISTURBED LAND WITH NATIVE VEGETATION NEW HEAVY DUTY ASPHALT PAVEMENT

EXISTING HEAVY DUTY ASPHALT PAVEMENT

NEW HEAVY DUTY CONCRETE PAVEMENT

EXISTING HEAVY DUTY CONCRETE 80 FD


NEW GRAVEL EXISTING GRAVEL SURNS MEDONNELL


Electronic Materials U.S.A., Inc.


PRELIMINARY - NOT FOR CONSTRUCTION


| Α | 2023-01-09 | CAW | АММ | AMM | ISSUED | FOR | ORCA 30% | : |
|---|------------|-----|-----|-----|--------|-----|----------|----------|
| В | 2023-04-28 | RG | BMS | вмѕ | ISSUED | FOR | REZONING | SUBMITTA |
| С | 2023-07-31 | RG | BMS | BMS | ISSUED | FOR | REZONING | COMMENT |
| D | 2023-09-25 | RG | BMS | BMS | ISSUED | FOR | REZONING | COMMENT |
| Ε | 2025-08-18 | RG | BMS | BMS | ISSUED | FOR | REZONING | COMMENT |
| | | | | | | | | |


LS120

















GENERAL NOTES

GENERAL NOTES:

1. THE LANDSCAPE ARCHITECT AND OWNER SHALL APPROVE GRADES AND CONDITION OF SITE PRIOR TO LANDSCAPE OPERATIONS.

REFER TO SHEET L-001 FOR GENERAL NOTES, LEGEND, AND ABBREVIATIONS.

REFER TO LS100 SERIES FOR LANDSCAPE PLANS.

LEGEND

DECIDUOUS TREE EVERGREEN TREE

œ SHRUBS \bigotimes BOULDER

EXISTING BMP AREA

DECOMPOSED GRANITE EXISTING DECOMPOSED GRANITE

NEW HEAVY DUTY ASPHALT PAVEMENT

EXISTING HEAVY DUTY ASPHALT PAVEMENT

NEW HEAVY DUTY CONCRETE PAVEMENT EXISTING HEAVY DUTY CONCRETE

NEW GRAVEL

EXISTING GRAVEL


Electronic Materials U.S.A., Inc. FUJIFILM EK


MEDONNELL


PRELIMINARY - NOT FOR CONSTRUCTION


| Ε | 2025-08-18 | RG | BMS | вмѕ | ISSUED FOR REZONING COMMENT |
|------|------------|-----|-----|-----|------------------------------|
| D | 2023-09-25 | RG | BMS | вмѕ | ISSUED FOR REZONING COMMENT |
| С | 2023-07-31 | RG | BMS | BMS | ISSUED FOR REZONING COMMENT |
| В | 2023-04-28 | RG | BMS | вмѕ | ISSUED FOR REZONING SUBMITTA |
| Α | 2023-01-09 | CAW | АММ | АММ | ISSUED FOR ORCA 30% |
| REV. | DATE | DES | СНК | APR | DESCRIPTION |


LS130











PRELIMINARY - NOT FOR CONSTRUCTION

| Ε | 2025-08-18 | RG | BMS | BMS | ISSUED FOR REZONING COMMENTS |
|------|------------|-----|-----|-----|-------------------------------|
| D | 2023-09-25 | RG | BMS | BMS | ISSUED FOR REZONING COMMENTS |
| С | 2023-07-31 | RG | BMS | BMS | ISSUED FOR REZONING COMMENTS |
| В | 2023-04-28 | RG | BMS | вмѕ | ISSUED FOR REZONING SUBMITTAL |
| Α | 2023-01-09 | CAW | АММ | AMM | ISSUED FOR ORCA 30% |
| REV. | DATE | DES | СНК | APR | DESCRIPTION |

SURNS WEDONNELL

Electronic Materials U.S.A., Inc.