

FLOOR PLAN
1/16" = 1'-0"

PRELIM. PRICING NOTES

FLOORING:

TOILET ROOM TO BE
CERAMIC TILE AND BASE

WAREHOUSE TO BE VOLC COMP OR EQUAL
SEALED CONCRETE

INTERIOR WALLS:

TOILET ROOMS LOCATED AT WAREHOUSE
TO BE FRP WAINSCOT
(4'-0" AFF.) OVER WUGB 'GREENBOARD' AT
WET WALL AND ADJACENT WALLS

UNINSULATED EXTERIOR WALLS AT WAREHOUSE
/ PRODUCTION AREAS TO BE EXPOSED
MASONRY OR CONCRETE TILT

CEILING:

WAREHOUSE TO BE OPEN
TO STRUCTURE ABOVE

DOORS / WINDOWS:

WAREHOUSE AREA EXTERIOR
MAN DOORS TO BE STEEL DOORS IN HOLLOW
METAL FRAME WITH PAINT FINISH

EXTERIOR OVERHEAD DOORS TO BE
UN-INSULATED 18' x 18' 24 GA. SECTIONAL
FOUR OPERATED DOORS

EXTERIOR DOCK DOORS TO BE
UN-INSULATED FOUR OPERATED 9' x 10'
24 GA LIFT DOORS, PROVIDE DOCK LEVELER/
BUMPER AT O.H. DOORS AT TRUCK WELL

WAREHOUSE AREAS TO HAVE
SINGLE DOME 4' x 8' SKYLIGHTS AS SHOWN
(PROVIDE SECURITY BARS)

ALL EXTERIOR GLASS TO BE SPANDREL


ELECTRICAL

PROVIDE BUILDING MOUNTED LIGHT FIXTURE
AT PERIMETER OF ADDITION (SECURITY LIGHTING
SEE ELECTRICAL

PROVIDE (2) LAMP FLUORESCENT LIGHTING W/
EMERGENCY BATTERY BACKUP AT EXTERIOR
EXIT DOORS

ALL EXTERIOR LIGHTING TO BE CONTROLLED
VIA A PHOTOCELL (DUSK TO DAWN) OR TIME
CLOCK

PROVIDE HI BAY LED LIGHTING AT
WAREHOUSE



ARIZONA CORRUGATED CONTAINER ADDITION

225 S.DOBSON RD
MESA, ARIZONA
85202

DATE

1ST DR SUBMITTAL
06-20-2022

DRAWN BY: JC, DZ

OWNERSHIP OF DOCUMENTS:
This drawing, including the architectural
concept, design, and data, is an instrument
of service and shall remain the property of
Cawley Architects Inc. This drawing is for use
at the location described herein and shall
not be used in other locations. Any other use
or release of these drawings may result in
civil damages.

DISCREPANCIES AND CONFLICTS:
All discrepancies found in these documents
or conflicts between these documents and
field conditions shall be reported to Cawley
Architects Inc. for resolution before the
commencement of the work.

FLOOR PLAN

A2.1

PROVIDE ALLOWANCE FOR 2 DOCK LEVELERS AND 2 NEW
OVERHEAD DOORS AT SOUTH WALL OF EXISTING BUILDING.
IN ADDITION, PROVIDE ALLOWANCE TO ENLARGE TWO EXISTING
OVERHEAD DOORS AND PROVIDE STRONGBACKS AT OPENINGS