

LUMINAIRE SCHEDULE

1. PROVIDE 90 MINUTE EMERGENCY BATTERY BACK-UP FOR ALL EMERGENCY FIXTURES. SEE SCHEDULE BELOW FOR SPECIFICATIONS AND LUMEN REQUIREMENTS.


. MODULAR WIRING SYSTEM FOR LIGHT FIXTURES IS AN ACCEPTABLE ALTERNATE.

3. BASE BID FOR LUMINAIRES SHALL BE BASED ON MANUFACTURERS LISTED IN CONTRACT DOCUMENTS. UPON AWARD OF PROJECT. ALTERNATES PROPOSED BY CONTRACTOR SHALL BE SUBMITTED WITH WRITTEN OWNER APPROVAL & AN INTEMIZED DEDUCT TO BASE BID.

ALTERNATE FIXTURE SELECTIONS MAY REQUIRE ADDITIONAL TIME FOR SUBMITTAL REVIEW & POSSIBLE ENGINEERING DESIGN CHANGES, TO BE BILLED TO THE CONTRACTOR.
 PROVIDE MINIMUM 10 MINUTE TIME DELAY ON EMERGENCY FIXTURES WHEN HID AREA LIGHTING IS USED.

MARK	MANUFACTURER MODEL NUMBER	VOLTS	CRI/CCT INPUT WATTS	REMARKS/MOUNTING
SA	LITHONIA LIGHTING WDGE4 LED P6 40K 70CRI R4 MVOLT SRM	MVOLT	LED 185.23 WATTS	EXTERIOR WALL MOUNTED LIGHT FIXTURE AT +26'-0" A.F.G.
sc	LITHONIA LIGHTING DSXO LED P7 40K T4M MVOLT HS/ SSS	MVOLT	LED 166 WATTS	SINGLE HEAD POLE LIGHT FIXTURE MOUNT AT +25'-0" A.F.G. MAX 20' within 50'


of property line.




AS SHOWN IN DETAIL.

DESIGN CODES IECC: 2018 NEC: 2017

ELECTRICAL CONTRACTOR SHALL NOTIFY DESIGNER/ENGINEER PRIOR TO ANY DEVIATION FROM THIS SET OF ELECTRICAL DESIGN PLANS. ANY CHANGES TO THE DESIGN, IF APPROVED BY ENGINEER, WILL REQUIRE REVISIONS TO PLANS AND POSSIBLE ADDITIONAL SERVICE FEE.







IF DRAWING IS NOT PLOTTED AT 24 X 36 THEY ARE NOT FULL SIZE

ADG A1421


CV MESA GERMANN INDUSTRIAL PARK NEC E. GERMANN + ELLSWORTH MESA, ARIZONA

NOT FOR CONSTRUCTION









Schedu	le								
Symbol	Label	QTY	Manufacturer	Catalog	Description	Number Lamps	Lamp Dutput	LLF	Input Power
	SA	117	Lithonia Lighting	R4 40K M∨□LT SRM	WDGE4 LED WITH P6 - PERFORMANCE PACKAGE, 4000K, 70CRI, TYPE 4 OPTIC, MOUNTED @ 26'	1	25861	0.91	185.23
P	SC	9		DSX0 LED P7 40K T4M MVDLT HS/ SSS 22.5' PDLE DN 2.5' BASE	DSX0 LED P7 40K T4M MVOLT with houseside shield	1	13945	0.91	166

Statistics						
Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min
DNSITE FC @ GRADE	+	2.4 fc	8.1 fc	0.0 fc	N/A	N/A
PROP LINE	Ж	0.1 fc	0.5 fc	0,0 fc	N/A	N/A





DESIGN CODES IECC: 2018 NEC: 2017

PRELIMINARY

NOT FOR CONSTRUCTION

ELECTRICAL CONTRACTOR SHALL NOTIFY DESIGNER/ENGINEER PRIOR TO ANY DEVIATION FROM THIS SET OF ELECTRICAL DESIGN PLANS ANY CHANGES TO THE DESIGN, IF APPROVED BY ENGINEER, WILL REQUIRE REVISIONS TO PLANS AND POSSIBLE ADDITIONAL SERVICE






IF DRAWING IS NOT PLOTTED AT 24 X 36 THEY ARE NOT FULL SIZE

ADG A1421

RMANN INDUSTRIAL PARK	No:	DATE:	REVISIONS:
RMANN + ELLSWORTH	1		
NA LELECTORITI	2		
ZNA	$\sqrt{3}$		








Schedu	le								
Symbol	Label	QTY	Manufacturer	Catalog	Description	Number Lamps	Lamp Dutput	LLF	Input Power
	SA	117	Lithonia Lighting	R4 40K M∨□LT SRM	WDGE4 LED WITH P6 - PERFORMANCE PACKAGE, 4000K, 70CRI, TYPE 4 OPTI MOUNTED @ 26'		25861	0.91	185.23
P	SC	9	Lithonia Lighting	DSXO LED P7 40K T4I MVDLT HS/ SSS 22.5 PDLE DN 2.5' BASE	NDSXO LED P7 40K T4M MVOLT with houseside shield	1	13945	0.91	166

Statistics						
Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min
ONSITE FC @ GRADE	<u>:</u> +	1.7 fc	5.7 fc	0.0 fc	N/A	N/A
PROP I INF	Ж	0.1 fc	0.3 fc	0.0 fc	N/A	N/A







PRELIMINARY NOT FOR CONSTRUCTION

DESIGN CODES IECC: 2018 NEC: 2017

ELECTRICAL CONTRACTOR SHALL NOTIFY
DESIGNER/ENGINEER PRIOR TO ANY DEVIATION
FROM THIS SET OF ELECTRICAL DESIGN PLANS
ANY CHANGES TO THE DESIGN, IF APPROVED
BY ENGINEER, WILL REQUIRE REVISIONS TO
PLANS AND POSSIBLE ADDITIONAL SERVICE





IF DRAWING IS NOT PLOTTED AT 24 X 36 THEY ARE NOT FULL SIZE


ADG A1421


RK

No: DATE: REVISIONS:










FIXTURE TYPE "SA"

PRELIMINARY NOT FOR CONSTRUCTION

DESIGN CODES IECC: 2018 NEC: 2017

ELECTRICAL CONTRACTOR SHALL NOTIFY DESIGNER/ENGINEER PRIOR TO ANY DEVIATION FROM THIS SET OF ELECTRICAL DESIGN PLANS. ANY CHANGES TO THE DESIGN, IF APPROVED BY ENGINEER, WILL REQUIRE REVISIONS TO PLANS AND POSSIBLE ADDITIONAL SERVICE





IF DRAWING IS NOT PLOTTED AT 24 X 36 THEY ARE NOT FULL SIZE

ADG A1421

AL PARK	No:	DATE:	REVISIONS:	
PRTH	1			_
/11111	2	7		
	<u>/</u> 3\	4		
	_			



