


NORTH ELEVATION MATERIAL PERCENTAGES:

PT1:	4142sf	20.7%
PT2:	5652sf	28.3%
PT3:	7249sf	36.3%
PT4/STEEL	- sf	- %
CC1:	- sf	- %
CC2:	- sf	- %
GLASS:	432sf	2.2%
DOORS:	2496sf	12.5%

MARK	DESCRIPTION	FINISH/COLOR	MODEL	MANUFACTURER	COMMENTS
PT1	PAINTED TILT	POSSIL	DE6225	DUNN EDWARDS	
PT2	PAINTED TILT	MUSLIN	DE6221	DUNN EDWARDS	
PT3	PAINTED TILT	METAL FRINGE	DE6226	DUNN EDWARDS	
PT4	PAINTED TILT	BLACK BEAN	DE6385	DUNN EDWARDS	
CC1	COLORLED CONCRETE/FORMLINER	DINE	6058	DAVIS COLORS	
CC2	COLORLED CONCRETE/FORMLINER	COBBLESTONE	860	DAVIS COLORS	
MT1	PERF. METAL AT CANOPIES	PAINTED PT4	TBD	MONICHOIS	
MT2	WELDED WIRE MESH	PAINTED PT4	TBD	MONICHOIS	
GL1	INSULATED GLASS	CLEAR	TBD	TBD	
AL1	ALUMINUM STOREFRONT SYSTEM	CLEAR ANODIZED	TBD	TBD	

SOUTH ELEVATION MATERIAL PERCENTAGES:

PT1:	8581sf	36.8%
PT2:	5745sf	24.7%
PT3:	793sf	3.4%
PT4/STEEL	1251sf	5.4%
CC1:	3996sf	17.1%
CC2:	1942sf	8.3%
GLASS:	999sf	4.3%



EAST ELEVATION MATERIAL PERCENTAGES:

PT1:	4453sf	38.9%
PT2:	2440sf	21.4%
PT3:	1914sf	16.8%
PT4/STEEL	259sf	2.3%
CC1:	1028sf	9%
CC2:	1587sf	7.1%
GLASS:	514sf	4.5%

MARK	MATERIAL	DESCRIPTION	FINISH/COLOR	MODEL	MANUFACTURER	COMMENTS
PT1	PAINTED TILT	POSSIL		DE6225	DUNN EDWARDS	
PT2	PAINTED TILT	MUSLIN		DE6221	DUNN EDWARDS	
PT3	PAINTED TILT	METAL FRINGE		DE6226	DUNN EDWARDS	
PT4	PAINTED TILT	BLACK BEAN		DE6385	DUNN EDWARDS	
CC1	COLORLED CONCRETE/FORMLINER	DUNE		6058	DAVIS COLORS	
CC2	COLORLED CONCRETE/FORMLINER	COBBLESTONE		860	DAVIS COLORS	
MT1	PERF. METAL AT CANOPIES	PAINTED PT4		TBD	MONICHOIS	
MT2	WELDED WIRE MESH	PAINTED PT4		TBD	MONICHOIS	
GL1	INSULATED GLASS	CLEAR		TBD		
AL1	ALUMINUM STOREFRONT SYSTEM	CLEAR ANODIZED		TBD		

WEST ELEVATION MATERIAL PERCENTAGES:

PT1:	4453sf	38.9%
PT2:	2440sf	21.4%
PT3:	1914sf	16.8%
PT4/STEEL	259sf	2.3%
CC1:	1028sf	9%
CC2:	1587sf	7.1%
GLASS:	514sf	4.5%

